

**HODSON MAMMAL PAINTINGS IN ZOOLOGICAL SOCIETY OF LONDON LIBRARY**

Page No.	Current English name	Current Scientific name	Hodgson name	Hodgson no.	Comments on paintings
1.	Rhesus Macaque	<i>Macaca mulatta</i>	<i>Macaca oinops mihi</i>	2	Feb. 24 Shot in Residency grounds where strayed from Sambhunath wood Central hills January
2	Assamese Macaque	<i>Macaca assamensis pelops</i> Hodgs. 1849	<i>Macaca pelops mihi</i>		Central and northern regions of hills
3.	Common Langur	<i>Presbytis entellus schistaceus</i> Hodgs, 1840	<i>Semnopithecus schistaceus</i>	7	Habitat: all three regions of mountains (1) died here Oct 7, brought from lower hills (2) Darjiling Ilam 4000 feet
4.	Common Langur	<i>Presbytis entellus schistaceus</i>	<i>Semnopithecus schistaceus</i>	8	From northern regions of the hills. Kachar. January
5.	Common Langur	<i>Presbytis entellus schistaceus</i>	<i>Semnopithecus petrophilus</i>	2	Hetauda
5a	Common Langur	<i>Presbytis entellus schistaceus</i>	<i>Semnopithecus schistaceus</i>	1, 7	March
6	Common Langur	<i>Presbytis entellus schistaceus</i>	<i>Macacus sikimensis mihi</i>		Sikim
7	Common Langur	<i>Presbytis entellus schistaceus</i>	<i>Pteropus badius mihi</i>		Tarai of Sikim
8		(1) <i>Rousettus leschenaulti leschenaulti</i>	(1) <i>Pteropus pyrivorus</i>		Valley of Nepal, rarely in autumn (Hab. Seligori Feb. 1855)
	(2) Dark-brown Leaf-Bat	(2) <i>Rhinolophus ferrumequinum tragatus</i>	(2) <i>Rhinolophus tragatus mihi</i>		Valley of Nepal(4000 feet) permanently in outhouse
	(3)	(3) <i>possibly Rousettus leschenaultia</i>	(3) <i>Scotophilus fuliginosus</i>		
	(4)	(4) <i>Myotis mystacinus muricola</i> Gray 1846	(4) <i>Vespertilis muricola</i>		
	(5)	(5) <i>Nyctalus noctula labiatus</i> Hodgs. 1835	(5) <i>Vesperti labiata mihi</i>		July 14, Valley

	(6)	<i>Rhinolophus subbadius</i> Blyth 1844	<i>Rhinolophus subbadius</i>		
9	Indian Flying Fox	<i>Pteropus giganteus leucocephalus</i> Hodgs. 1835	<i>Pteropus leucocephalus mihi edwardsii?</i>		Hab. tarai solely, very rare in hills, very common in plains or tarai. Jan 31 Valley sleeping in tree, a passerer none seen hereafter (Inhabits tarai, in autumn to eat ripe pears; a passenger on the hills)
10.	Great Eastern Horse-shoe Bat, Large Leaf-Bat	<i>Rhinolophus perniter (R. lucutus)</i>	<i>Rhinolophus perniger mihi</i>		Nepal Valley 4000 feet. Feb. 6 Central region. forest of Hatiban (in Great Valley). Darjiling March 1848 killed in my house 7500 feet. Nepal specimens at 4500 feet in woods around the Valley.
11.	Dark-brown Leaf-Bat	<i>Rhinolophus ferrumequimum tragatus</i>	<i>Rhinolophus tragatus mihi</i>		Central hilly region. Got at Darjiling 7000 feet 1856-7.
12.	(1.) & (2) Greater Himalayan Leaf-nosed Bat	<i>Hipposideros armiger</i>	<i>Rhinolophus armiger Hipposideros armiger</i>		(inhab. central hilly region, Nepal) (1) Nov 4 Valley, skimming rice fields at evening
	(3)&(4)	<i>Tragatus</i>			head
	(5)&(6)	(5)&(6) <i>Myotis mystacinus muricola</i>	(5)&(6) <i>Vespertilis muricola mihi</i>		Valley of Nepal 4500 feet all of them
13	(1) Large-eared Horseshoe Bat	(1) <i>Rhinolophus macrotis macrotis</i>	(1) <i>Rhinolophus macrotis mihi</i>		Nepal central region June 30, Valley of Nepal 4000 feet, Residency, comes into houses at night.
	(2)	(2) <i>Myotis mystacinus nipalensis</i>	(2) <i>Vespertilio pallidiventris mihi</i>		Valley of Nepal 4000 feet, Residency July 5
	(3)	(3) possibly <i>Rhinolophus leschenaulti</i>	<i>Rhinolophus fuliginosus</i>		Darjiling Oct 1854 7,500 feet
14.		Possibly <i>Rhinolophus leschenaulti</i>	<i>Rhinolophus fuliginosus</i>		Sept 27 1857 Darjiling 3 Specimens sent home in spirits

15.		<i>Myotis siligorensis siligorensis</i>	<i>Vespertilio siligorensis</i>		Sikim tarai
16.		<i>Myotis siligorensis siligorensis</i> Horsfield 1855	<i>Vespertilio siligorensis</i>		Sikim tarai Sept 4 1849. Hab. Seligori tarai. India House Nov 1852 No. 1
17.		<i>Myotis siligorensis siligorensis</i>	<i>Vespertilio darjilingensis mihi</i>		Ann. & Mag. Nat. Hist. August 55
18.	Hodgson's or Large Painted Bat	<i>Myotis formosus</i>	<i>Vespertilio Formosa mihi</i>		Valley of Nepal 4500 feet
19.		<i>Myotis siligorensis siligorensis</i>	<i>Plecatus darjilingensis mihi</i>		Hab. Darjiling
20.	Long-eared Bat	Possibly <i>Plecotus auritis</i>	<i>Megadroma megalotis mihi</i>		Hab. Sikim
21.	Indian False Vampire	<i>Megaderma lyra lyra</i>	<i>Megadroma schistacea mihi</i>		Hab. tarai of Sikim
22.	<i>Rhinolophus pearsoni pearsoni</i>	<i>Lasiurus pearsonii</i> <i>Noctulina lasiurus</i>			
23.	Eastern Mole	<i>Talpa micrura micrura</i> Hodgs. 1841	<i>Talpa macrura</i>		Darjiling
24.	Eastern Mole	<i>Talpa micrura micrura</i>	<i>Talpa macrura</i>	79	Darjiling Hab. central & upper regions of Himalayas
25.	?	?	<i>Sorex tenuicauda</i>		Central region of mountains of Himalaya. Oct 20 1855 Darjiling. Home in spirits 27 Sept 1857
26.	?	?	<i>Sorex macrourus caudator?</i>		Home in spirits Sept 27 1857 Hab. central region of Himalaya. Got at 7500 feet. Sept 22 procured close to house. May 23 1856 Darjiling
27.	Indian Long-tailed Shrew	<i>Soriculus leucops</i>	<i>Sorex leucops mihi</i>	84	Hab. central & northern regions of Himalaya 4 to 16,000 feet. Specimens got at Kedlum in Sikim and at Darjiling on 26 Sept 1855
28.	House Shrew	<i>Suncus murinus saturator</i>	<i>Sorex saturator mihi</i>	81	Darjiling June 11 1852 killed in fowl house. Hab. central region of Himalaya. Sept 1857 sent

					home in spirits
29.	Savi's Pygmy Shrew	<i>Suncus etruscus pygmaeoides</i>	<i>Sorex pygmaeus</i>		Hab. central region got in Valley of Nepal 4000 feet and at Darjiling 7500 feet
30.	(1) House Shrew	(1) <i>Suncus murinus</i>	(1) <i>Sorex myosurus</i>		Nepal. Hab. central region of mountains, got in Valley of Nepal
	(2)	(2) <i>Mus cervicolor cervicolor</i> Hodgs. 1845	(2) <i>Mus cervicolor</i>		Field mouse of Valley May 31
	(3)Black Rat	(3) <i>Rattus rattus rattoides</i>	(3) <i>Mus rattoides</i>		Valley of Nepal
	(4)	(4) <i>Mus musculus urbanus</i>	(4) <i>Mus dubius</i>		House & gardens
	(5)	(5)	(5) <i>Mus nepalensis</i>		
	(6) Savi's Pygmy Shrew	(6) <i>Suncus etruscus pygmaeoides</i>	(6) <i>Sorex pygmeus</i>		A tiny musk shrew Valley of Nepal
					1-6 all got in Valley of Nepal
31	House Shrew	<i>Suncus murinus soccatus</i> Hodgs. 1845	<i>Sorex soccatus mihi</i>		Hab. central region of mountains
32.	(1)	(1) <i>Suncus murinus</i>	(1) <i>Sorex nemorivogus mihi</i>		Hab. central region of mountains. Many got of both (1) and (2) in woods of Valley of Nepal 4500 feet, some of (2) in woods of Darjiling 7500 feet
	(2)	(2) <i>Suncus murinus soccatus</i>	(2) <i>Sorex soccatus</i>		See above
33.	Sikkim Large-clawed Shrew	<i>Soriculus nigrescens</i> Gray 1842	<i>Sorex sikmensis</i>		Hab. Sikkim 7500 feet. Darjiling Sept. 1848 Garden Darjiling Jan 15, Aug 15
34.	House Shrew	<i>Suncus murinus</i>	<i>Sorex nemorivagous? mihi</i> <i>Sorex arboris mihi</i>		Hab. Sikim in woods 7500 feet near houses 5 Sept 1855 Darjiling
35.	Brown Bear	<i>Ursus arctos isabellinus</i>	<i>Ursus isabellinus</i>		Hab. northern region of Himalaya and Tibet. Kachar = northern region
36.	Himalayan Black Bear	<i>Selenarctos tibetanus</i>	<i>Ursus tibetanus</i>		Hab. Himalaya central region, drinks by lapping like a dog, climbs trees, fed rice shoots.

37.	Himalayan Black Bear	<i>Selenarctos tibetanus</i>	<i>Ursus tibetanus</i>		
38.	Himalayan Black Bear	<i>Selenarctos tibetanus</i>	<i>Ursus tibetanus</i>		Feb 20 central hills
39.	Himalayan Black Bear	<i>Selenarctos tibetanus</i>	<i>Helarctos tibetanus</i>		(1) forests of Sivapoorra above the great Valley 7000 feet (3)Central hills old male July 15 (4)male mature central hills
40.	Red Panda	<i>Ailurus fulgens fulgens</i>	<i>Ailurus fulgens</i>		1835
41.	Red Panda	<i>Ailurus fulgens</i>	<i>Ailurus fulgens</i>	23	
42.	Red Panda	<i>Ailurus fulgens</i>	<i>Ailurus fulgens</i>		Central hills breeds in June eats grain, roots, steals milk from herdsman's huts, lives in the wilds, never comes to cultivated places 2 young in holes of rocks
44.	Red Panda	<i>Ailurus fulgens</i>	<i>Ailurus fulgens</i>		Hab. central & northern regions & Tibet. July 25 Sinchal top 8000 feet mother of 2 young taken in hollow of large forest tree, one young perhaps 10 days or 15 days old, eyes not opened. Fem. Darjiling
45.	Tibet Badger	<i>Meles meles leucurus</i>	<i>Meles? Pseudomeles leucurus</i>	17	Hab. Tibet 1857 Jan 15 Chebu Lama gave me 3 skins
46.	Ratel, Honey Badger	<i>Mellivora capensis inaurita</i> Hodgs 1836	<i>Mellivora ratelus</i>		Hab. lower regions of mts
47.	Burmese Ferret-Badger	<i>Melogale personata nipalensis</i>	<i>Helictic nipalensis</i>	18	Hab. lower regions of Nepal, banks of the Rapti, December
48.	Burmese Ferret-Badger	<i>Melogale personata nipalensis</i>	<i>Helictic nipalensis</i>		Lower regions of mountains March 37 May 33 Feb 27 1852 got another from Bagan of Darjiling
49.	Hog-badger	<i>Arctonyx collaris collaris</i>	<i>Arctonyx collaris?</i>	54	Sikim tarai Feb. 10 Titalya
50.	Ratel, Honey Badger	<i>Mellivora capensis indica</i>	<i>Ursus indicus</i> Indian Badger		April 30 Muckwanpur

53	Himalayan Yellow-throated Marten	<i>Martes flavigula</i>	<i>Martes flavigula</i>		Hab. central region of mts, central hills May 1 Valley Nov 20 shot in a tree where several were eating fruits
51.	Himalayan Yellow-throated Marten	<i>Martes flavigula</i>	<i>Martes flavigula</i>		(1)Darjiling July 6 shot in wood by house when came to plunder fowl house (2) shot Sanada 7000 feet in tree
54.	Himalayan Yellow-throated Marten	<i>Martes flavigula</i>	<i>Martes flavigula</i>		Woods of Nepal
55.	Beech Martin, Stone Martin	<i>Martes foina toufoeus</i>	<i>Martes toufoeus mihi</i>		Traders skin got from Tibet called Toufee sent home in 1842 from Nepal. See Cat. of Tibetan mammals J. As. Soc. Bengal
58.	Striped-backed Weasel	<i>Mustela strigidorsa</i> Gray 1853	<i>Mustela strigidorsa</i>	67	Sikim Aug 4 1840 or 1849 central & northern regions of mts
59.	(1)Himalayan Weasel	(1) <i>Mustela sibirica subhemachalana</i> Hodgs. 1837	(1) <i>Mustela subhemachalana</i>		Northern region of mts
	(2)Pale Weasel	(2) <i>Mustela altaica temnon</i> Hodgs 1857	(2) <i>Mustela temnon</i>		May1840
60.	Pale Weasel	<i>Mustela altaica temnon</i>	<i>Mustela temnon</i>		Northern & central regions of mts. Nov. Darjiling 7500 feet. Killed in house
61.	Himalayan Weasel	<i>Mustela sibirica canigula</i> Hodgs 1842	<i>Mustela canigula mihi</i> Hoary-necked Weasel		Hab. northern region of Himalaya & Tibet. Kachar, Feb.
63.	Yellow-bellied Weasel	<i>Mustela kathaiah kathaiah</i>	<i>Mustela auriventer</i>		Kursiang in Sikim March 20 4500 feet Darjiling 7400 feet
62.	Yellow-bellied Weasel	<i>Mustela kathaiah kathaiah</i>	<i>Putorius auriventer</i>	68	Kachar July 24 central hills
64.	European Polecat	<i>Mustela putorius larvatus</i>	<i>Putorius tibetanus mihi</i>	21	Tibet from Chebu Lama who brought from Tibet Feb 6 1855
65.	Smooth-coated Indian Otter	<i>Lutra perspicillata perspicillata</i>	<i>Lutra taraigensis mihi</i>		Nepal tarai
66.	(2) Common Indian Otter	<i>Lutra lutra monticola</i> Hodgs 1839	<i>Lutra monticola</i>		Nepal central & northern regions of hills

	(3)Oriental Small-clawed Otter	(3) <i>Aonyx cinerea concolor</i>	<i>Aonyx indigitatus mihi</i>		Nepal central & northern regions of hills
	(4)Common Indian Otter	(4) <i>Lutra lutra aurobrunnea</i>	<i>Aonyx aurobrunnea</i>		Nepal central & northern regions of hills
67.			<i>Lutra siligorensis mihi</i>	61	.Siligori Feb 10 1850
68	Oriental Small-clawed Otter	<i>Aonyx cinerea concolor</i>	<i>Aonyx sikimensis mihi</i>	62	Hab. central region of Himalaya, got in Sikim near Ilam perhaps 4000 feet Nov
69	Smooth-coated Indian Otter	<i>Lutra perspicillata perspicillata</i>	<i>Lutra taragensis</i>		
70	Leopard	<i>Panthera pardus</i>	<i>Felis pardus</i>		Sanku Feb. 1830, round the Valley
71	Leopard	<i>Panthera pardus</i>			Darjiling 1847 Hab. general
72.	Leopard	<i>Panthera pardus</i>			A young taken in tarai of Purnea in Oct.
73	Leopard	<i>Panthera pardus</i>			
74	Leopard	<i>Panthera pardus</i>			
76	Leopard	<i>Panthera pardus</i>			Nepal
77	Leopard	<i>Panthera pardus</i>			Nepal Valley Dec
78	Leopard	<i>Panthera pardus</i>		90	(1) centralhills March 16 (2) May 10 Valley (3) old male central Hills, January 1
79	Leopard	<i>Panthera pardus</i>			Melanistic variety? Darjiling Sikim 6-8000 feet
80	Marbled Cat	<i>Felis marmorata charltoni</i>	<i>Felis ogilbii</i>	46	Woods of Sikim & Tibet, central hills regions of e. Himalayas. Darjiling Nov. '46
81	Marbled cat	<i>Felis marmorata charltoni</i>	<i>Felis duvaucelli</i>	44	Sikim Tibet Darjiling April
82	Lynx	<i>Felix lynx</i>	<i>Felix lynx tibetanus mihi</i>		Tibet & upper region of e. Himalayas
83.	Jungle Cat	<i>Felis chaus affinis</i>	<i>Felis lynchus</i>		Central region of Himalaya Valley Dec
84	Jungle Cat	<i>Felis chaus affinis</i>	<i>Lynchus erythrotis</i> Red-eared Lynx		Central & lower regions of e. Himalayas Segouly, Valley
85	Jungle Cat	<i>Felis chaus affinis</i>	Young of <i>Felis erythrotis</i>		Central & lower regions of e. Himalaya. Garden Nov. '30
86	Jungle Cat	<i>Felis chaus affinis</i>	<i>Felis erythrotis</i>		Valley Feb. central hills

87	Jungle Cat	<i>Felis chaus affinis</i>	<i>Felis erythrotis</i>		
88.	Fishing Cat	<i>Felis viverrina</i>	<i>Felis viverriceps</i> <i>Sharp-faced Cat</i>		Feb Hab. tarai
89	Fishing Cat	<i>Felis viverrina</i>	<i>Felis viverriceps</i>		Feb 8
90	Fishing Cat	<i>Felis viverrina</i>	<i>Felis viverriceps</i>		Tarai May 15
92	Fishing Cat	<i>Felis viverrina</i>	Looks like <i>Felis viverriceps</i>		
93	Leopard Cat	probably <i>Felis bengalensis</i>	<i>Felis pardochrous</i>		Central region of Himalaya July 28, Jan 4 Valley, Nov 4 Valley
94	Leopard Cat	<i>Felis bengalensis</i>	<i>Felis pardochrous</i>	46	Darjiling, central hills
95	Leopard Cat	<i>Felis bengalensis</i>	<i>Felis nepalensis?</i> <i>Felis pardochrous</i>		Woods of central region
96	Leopard Cat	<i>Felis bengalensis</i>	<i>Felis pardochrous</i>		Darjiling June 30
97	Leopard Cat	<i>Felis bengalensis</i>	<i>Felis bengalensis</i>		Hab. central region of mountains, Darjiling
98	Pallas's Cat	<i>Felis manul nigripecta</i> Hodgs.	<i>Felis nigripectus mihi</i>		Tibet, one from Chebu Lama & one from east Tibet
99	Pallas's Cat	<i>Felis manul nigripecta</i>	<i>Felis nigripectus mihi</i>		Got alive from east Tibet
101	Pallas's Cat	<i>Felis manul nigripecta</i>	<i>Felis nigripectus mihi</i>		
102	Clouded Leopard	<i>Neofelis nebulosa</i> <i>macrosceloides</i>	<i>Felis macroceloides</i>	41	Hab. Nepal, Sikkim & hills of Tibet India House 1852 An old male killed July 1 at Balasun in Sikkim on verge of lower region 4000 feet
103	Golden Cat	<i>Felis temmincki</i>	<i>Felis murmensis mihi</i>		Hab. Himalaya, central region
104	Golden Cat	<i>Felis temmincki</i>	<i>Felis murmensis mihi</i>	43	Melanistic variety Darjiling male January 1849 killed near us, very like <i>murmensis</i> and may be a black variety of it
105	Golden Cat	<i>Felis temmincki</i>	<i>Felis murmensis mihi</i>		Hab. Mountains of Nepal
106	Golden Cat	<i>Felis temmincki</i>	<i>Felis murmensis mihi</i>	42	Central regions of mts India House Nov 1852
107	Snow Leopard	<i>Panthera uncia</i>	<i>Felis l'kar mihi</i> <i>Ounce of Tibet</i>	13	India House 1852 Size of Leopard, rather more fur, fuller and

					longer, tail shorter and thicker, talons less compressed
108	Snow Leopard	<i>Panthera uncia</i>	<i>Felis l'kar mihi</i> <i>Ounce of Tibet</i>		Is the young probably of the larger and came with it from Lhasa
109	Striped Hyena	<i>Hyaena hyaena</i>	<i>Hyena virgata?</i> Striped Hyena		Sikim tarai Sikkim tarai. Hab. tarai all long Nepal Sikim Himalaya. Siligori Feb 10
110	Small Indian Civet	<i>Viverricula indica wellsi</i>	<i>Viverricula indica</i>		July 16 Segouly young male. Hab. tarai
111	Small Indian Civet	<i>Viverricula indica wellsi</i>	<i>Viverricula indica</i>	49	
112	Small Indian Civet	<i>Viverricula indica wellsi</i>	<i>Viverricula indica</i>		Hab. tarai Siligeri
113	Small Indian Civet	<i>Viverricula indica wellsi</i>	<i>Viverricula indica</i>		Segouly tarai
114	Small Indian Civet	<i>Viverricula indica wellsi</i>	<i>Viverricula indica</i>		Nepal tarai July 1
115	Large Indian Civet	<i>Viverra zibetha</i>	(1) <i>Viverra melanura</i> (2) <i>Viverra civettoides</i>		(1) killed in fowlhouse, Darjiling
116	Large Indian Civet	<i>Viverra zibetha</i>			Gokarna young. Subsequently made 2 species <i>melanurus</i> & <i>civettoides</i>
117	Large Indian Civet	<i>Viverra zibetha</i>	<i>Viverra civetta</i>		Central hills, furriers at Bhagaon
118	Large Indian Civet	<i>Viverra zibetha</i>	Zibet		
119	Text on Large Indian Civet				May 30 3 or 4 days old found on ground in midst of thick brushwood in uplands, young evidently born perfectly with eyese open, when got could walk well though not run like old, much darker marks thereby obscured. March 15 Valley of Nepal. Feb 6 Muckwanpur. Just killed in open fields of Valley, tarai Feb 7 form of marbled cat sort like that from Tibet.
120	Text on Large Indian Civet				

121	Text on Large Indian Civet				
122			<i>Viverra leopardina</i>		<p>Hab. Tibet Zibet Nov '50.</p> <p>See the various drawings &amp; also the skins. If this be all one species it is wonderfully various in colours and in habitat.</p> <p>Killed at Dariling June 17/56</p> <p>Drawn from a specimen brought from across the snows. Nov 1856. It is distinguished from the numerous specimens got in the various regions of the Himalaya and in the tarai by its palpably Pardina marks prevailing all over the body. Those got in the central region of Himalaya where the animal abounds are wellmarked stripewise on the body. They also differ in other respects hence the various trivial names attached to them by me (<i>civettoides, melanurus, orientalis</i>). Gray blends the all under <i>V. zibetha</i>. I doubt the correctness of so doing. The animal is ubiquitous prevailing alike in cold dry treeless Tibet, in temperate moist timbered Himalaya and in hot tropical tarai. Is not this difference of habitat added to the difference of colours a presumption of more than one species. I have got very many in the central region of Himalaya of Nepal and Sikkim and also procured the young just afoot and running about the jungle, 4 of them. The stomach yielded very various substances – fowl flesh, rats muskrats (<i>Sorex</i>), frogs &amp; toads &amp; heads of fowls picked up near the cook room.</p>
123	Spotted Linsang	<i>Prionodon pardicolor</i>	<i>Prionodon pardicolor</i>	50	Hab. central region of Himalaya.

		<i>pardicolor</i> Hodgs 1841	<i>nepalensis</i>		Darjiling very gentle & tame, ate only fish From skins procured one at Darjiling & another at Cathmandoo lives much in trees, killing small mammals & birds
126	Spotted Linsang	<i>Prionodon pardicolor pardicolor</i>	<i>Prionodon pardicolor nepalensis</i>		
127	Himalayan Palm Civet	<i>Paguma larvata grayi</i>	<i>Paradoxorus nepalensis mihi</i>		Drawn from life in Nepal Kept for years olive <i>nipalensis</i> & <i>hirsutus</i> were described by me before Mr Gray for <i>Hirsutus quadri</i> script & <i>quinque</i> script not here ask Gray. Valley of Nepal forest of Hatiban Feb 4
128	Himalayan Palm Civet	<i>Paguma larvata grayi</i>	<i>Paradoxorus nepalensis mihi</i>		Hab. central region of Himalaya, got in Nepal 6000 feet, mother of young & nest. Sikkim Darjiling Feb 3
129	Himalayan Palm Civet	<i>Paguma larvata grayi</i>	<i>Paradoxorus nepalensis mihi</i>		Breeding hole of the Nepalese Paradoxura (in rotten wood of truncated large tree on precipice side) procured 2 young July 11 central region. Another had 4 young, one of which was pale fawn in colour, Darjiling July 3.
130	Himalayan Palm Civet	<i>Paguma larvata grayi</i>			Hab. central region of Himalaya got in Nepal & Sikkim mts, never in tarai. Gray's <i>Paguma grayi</i> see Beng. As. Res. XIX Dec 1 1830 Valley of Nepal Hills of Valley March 2nd
131	Himalayan Palm Civet	<i>Paguma larvata grayi</i>			Darjiling Dec
132	Himalayan Palm Civet or Masked Palm Civet	<i>Paguma larvata grayi</i>	<i>Paradoxorus nepalensis</i> The Screwtail		Central region of mts. May 1838
133	Common Palm Civet	<i>Paradoxorus hermaphrodites</i>	<i>Paradoxorus hirsutus</i>	52	Tarai April 15 Segouly live in hollows of mango eats mangos and other fruits sleeps by day

134	Common Palm Civet	<i>Paradoxorus hermaphrodites pallasi</i> Gray 1832	<i>Paradoxorus quadriscriptus</i>		Central region of Himalaya, got in Sikkim May 1847 for his and the 5 striped therein described as <i>strictus</i> by some accident <i>quinescriptus</i> it should have been
135		<i>Paguma (?) lanigera</i> Hodgson 1836 [J Asiat Soc Bengal 10:909 "Northern region of Nepal" subsequently said to be from Tingree Tibet – from Ellermann & Scott]	<i>Paradoxorus laniger mihi</i>		Hab. snowy regions of Himalaya & Tibet. Sent home as ?? The species is described in XIX volume of Beng. As. Res. It is of a whitey brown or isabelline hue of somewhat yellowish tint and the latter colour prevails below. The pelage is quite peculiar and decidedly woolly. The species is chiefly trans Himalayan but also seen rarely among the snows of Himalaya itself. Gray puts it down as a pure guess as <i>Paguma larvata</i> .
136			<i>Herpestes siligorensis mihi</i>	69	Feb 26 1850 Siligori in Sikkim tarai Hab tarai of Sikkim
137	Common Mongoose or Indian Grey Mongoose	<i>Herpestes edwarsi nyula</i> Hodgs 1836	<i>Herpestes nyula</i> Common Mongoose		Tarai Segouly Feb 20
138	Small Indian Mongoose	<i>Herpestes auropunctatus auropunctatus</i> Hodgs 1836	<i>Herpestes auropunctata</i> Hill Nyul		Central region of mts, Valley of Nepal June 15
139	Small Indian Mongoose	<i>Herpestes auropunctatus auropunctatus</i>	<i>Herpestes auropunctata</i> Hill Nyul		
140	Small Indian Mongoose	<i>Herpestes auropunctatus auropunctatus</i>	<i>Herpestes auropunctata</i> Hill Nyul		Ricefields of Valley of Nepal
141	Small Indian Mongoose	<i>Herpestes auropunctatus auropunctatus</i>	<i>Herpestes auropunctata</i> Hill Nyul		Hab. central region of mts
142	Crab-eating Mongoose	<i>Herpestes urva</i> Hodgs. 1836	<i>Urva cancrivora mihi</i>		Hab. lower regions July 20 skin from Bhatgaon
143	Crab-eating Mongoose	<i>Herpestes urva</i> Hodgs. 1836	<i>Urva cancrivora mihi</i>		Hab. lower regions of mts, got in Nepal & Sikkim March 1 <sup>st</sup>

					see Asiat. Journal No. 52 for 1836 and no. 67 for July 1837 specimen got at Darjiling, killed on banks of Tis??
145	Crab-eating Mongoose	<i>Herpestes urva</i> Hodgs. 1836	<i>Urva cancrivora mihi</i>		
146	Wolf	<i>Canis lupus</i>	<i>Lupus laniger mihi</i>		Tibet
147	(1)Fox (2)Jackal	(1) <i>Vulpes vulpes</i> (2) <i>Canis aureus indicus</i> Hodgs. 1833	(1) <i>Canis vulpes indicus</i> Indian Fox <i>Canis aureus</i>		Indian jackal
148	Jackal	<i>Canis aureus indicus</i> Hodgs. 1833	<i>Canis aureus</i>	58	Nipalese Jackal Valley Jan 20 Hab tarai very rarely the Great Valley and other spots within the mts
149	Jackal	<i>Canis aureus indicus</i> Hodgs. 1833	<i>Canis aureus</i>		Jan 15 Valley of Nepal a rare intruder in the hills where it is replaced by the Wild Dog
150	Jackal	<i>Canis aureus indicus</i> Hodgs. 1833	<i>Canis aureus</i>		Valley of Nepal March 25 Valley of Nepal April 6
151	Jackal	<i>Canis aureus indicus</i> Hodgs. 1833	<i>Canis aureus</i>		
152.	Domestic Dog		<i>Canis domestic</i> Tibet Lap Dog		China & Tibet
153.	Domestic Dog		Tibetan Terrier		
154.	Domestic Dog		Tibetan Terrier Lapdog		
155.	Domestic Dog		<i>Canis domestic</i> Tibetan Mastiff		(1) Black Mastiff of Lhasa (2) Red Mastiff of Mustang
156.	Domestic Dog		<i>Canis grajus</i>		
157.	Domestic Dog		<i>Canis grajus</i> Cabool Greyhound		
158.			Tibetan Mastiff		
159.			Tibetan Mastiff Lhasa dog		January 1830
160.			<i>Cuon gensus</i>		Central regions of Himalaya & Tibet

161.			Cuon genus		
162.			Wild Dog of Nepal & Tibet		
163.	Dhole, Indian Wild Dog	<i>Cuon alpinus primaevus</i> Hodgs. 1833	<i>Cuon primcevus</i>		Hab. central & upper regions of Himalaya & Tibet
164.	Dhole, Indian Wild Dog	<i>Cuon alpinus primaevus</i> Hodgs. 1833	<i>Cuon primcevus</i>		Oct 20 1832
165.	Dhole, Indian Wild Dog	<i>Cuon alpinus primaevus</i> Hodgs. 1833	<i>Cuon primcevus</i>		
166.	Dhole, Indian Wild Dog	<i>Cuon alpinus primaevus</i> Hodgs. 1833	<i>Cuon grayiformis mihi</i>		Hab. central region of Himalaya. Sikkim June 1846
167.	Indian Fox	<i>Vulpes bengalensis</i>	<i>Vulpes indicus</i>	59	Hab. tarai only, Valley March 30
168.	Indian Fox	<i>Vulpes bengalensis</i>	<i>Vulpes indicus</i>		Hab. tarai only
169.	Tibetan Sand Fox	<i>Vulpes ferrilata</i> Hodgs. 1842	(1) <i>Vulpes ferrilatus</i> (2) <i>V. I'gar mihi</i>	(1)16 (2)16	Habitat Tibet (1) skins from Lhasa Feb. 1855 (2) 2 skins from Dingcham possibly winter
170.	Common Red Fox	<i>Vulpes vulpes montana</i>	<i>Vulpes montanus</i>	15	Hab. northern region of Himalaya Skins from Simla Got at Darjiling from Tibet
171.	Malayan Giant Squirrel	<i>Ratufa bicolour gigantea</i>	<i>Sciurus macruroides</i>		Hab. lower region & deep valleys of central lower hills July 28
172.	Russian Flying Squirrel	<i>Pteromys volans volans</i>	<i>Sciurus sibiricus</i>		Found on frontier of Tibet & China
173.	Himalayan Striped Squirrel	<i>Callosciurus maccllellandi maccllellandi</i> Horsfield 1839	<i>Sciurus McClellandi</i> <i>Sciurus trivirgatus</i>		Central region of mts
174.	Orange-bellied Himalayan Squirrel	<i>Dremomys lokhriah</i> Hodgs. 1836	<i>Sciurus lokhriah mihi</i>		Central hills Feb 10, lower hills July 14 Woods of central region Sept 28
175.	Hoary-bellied Himalayan Squirrel	<i>Callosciurus pygerythrus lokroides</i> Hodgs. 1836	<i>Sciurus lokroides</i>	63	Nov. lower hills, hab. central region
177.	Orange-bellied Himalayan Squirrel	<i>Dremomys lokriah</i>	<i>Sciurus lokria mihi</i>	64	Hab. central region of mts got in Nepal & Sikkim. April 26 central hills

					Nb compare the several specimens with golden belly & black & white margin to tail with those having hoary belly & no margins of colour to tail and for?? Got abundantly in Nepal & Sikkim & from all 3 regions of mts through most of central region.
178.	Orange-bellied Himalayan Squirrel	<i>Dremomys lokriah</i>	<i>Sciurus lokriah mihi</i>		
179.	Giant Flying Squirrel or Hodgson's Flying Squirrel	<i>Petaurista magnificus</i> Hodgs. 1836	<i>Sciuropterus magnificus mihi</i>		
180	Giant Flying Squirrel or Hodgson's Flying Squirrel	<i>Petaurista magnificus</i> Hodgs. 1836	<i>Sciuropterus magnificus mihi</i>		Hab. central region of mts
181.	Giant flying Squirrel or Hodgson's Flying Squirrel	<i>Petaurista magnificus</i> Hodgs. 1836	<i>Sciuropterus magnificus mihi</i>		Flying squirrel of Nepal breeds in rains In Sept young nearly independent
182.	Giant Flying Squirrel	(1) <i>Petaurista magnificus</i> (2) <i>Petaurista magnificus</i>	(1) <i>S. chrysothrix</i> (2) <i>S. magnificus</i>		? distinct from <i>magnificus</i> no golden streak down back
183.	Giant Flying Squirrel	<i>Petaurista magnificus</i>	<i>Sciuropterus chrysothrix</i>		
184.	Lesser Giant Flying Squirrel	<i>Petaurista elegans caniceps</i> Gray 1842	<i>Sciuropterus senex</i>	28	Darjiling 7400 feet Sept 20
185.	(1)Giant Flying Squirrel (2)Lesser Giant Flying Squirrel (3)Giant Flying Squirrel	(1) <i>Petaurista magnificus</i> (2) <i>Petaurista elegans caniceps</i> (3) <i>Petaurista magnificus</i>	(1) <i>S. chrysothrix</i> (2) <i>S. senex</i> (3) <i>S. magnificus</i> (4) <i>chrysothrix</i>		(1) Darjiling (2) central region of mts (4)July Darjiling
186.	Particoloured Flying Squirrel	<i>Hylopetes alboniger alboniger</i> Hodgs. 1836	<i>Sciuropterus alboniger</i> Black & White Flying Squirrel	29	April 26 central hills, Kachar March
187	Himalayan Marmot	<i>Marmota bobak himalayana</i> Hodgs. 1841	<i>Arctomys tibetanus</i> Larger Marmot		Error to names. Larger not new as supposed Hab. Tibet larger – himalayanus Lesser – tibetanus
188.	Long-tailed Marmot	<i>Marmota bobak himalayana</i>	Lesser Marmot		Hab. northern region of Himalayan & snows

		Hodgs. 1841	<i>Arctomys tibetanus</i>	
189.		(1) Name not certainly identified – Ellerman & Morrison Scott (2) <i>Bandicota indica nemorivaga</i> Hodgs. 1836 (3) <i>Rattus nitidus nitidus</i> Hodgs. 1845	Nepalrats (1) <i>Musa arvicola? hydrophilus mihi</i> (2) <i>arvicola? macropus mihi</i> (3) <i>arvicola? horeites mihi</i>	(1) Hab. lower region Muckanpur (2) Hab. Valley of Nepal in ricefields (3) (1) & (2) got also at Darjiling 7500 feet and sent home in spirits Sept 27 1857 (3) Hab. central region of Himalaya in Nepal Jahar Powah 6000 feet.
190.	Indian Bush Rat	<i>Golunda ellioti myothrix</i> Hodgs. 1845	Rats of Nepal (1) <i>myothrix</i> (2) <i>pyctesis?</i>	Got at Kahulia? Powa in central region about 6700 feet in woods
191.	Sikkim Vole	<i>Pitymys sikimensis</i> Hodgs. 1849	<i>arvicola?</i> <i>thricotis</i> or hairy eared mihi	Darjiling Sept 1846 woods near house. Hab. central region of Himalaya.
192.		Rats:- (1) <i>Bandicota indica nemorivaga</i> (Hods. 1845) (2) <i>Rattus rattus bruneus</i> (Hodgs. 1845) <i>R.r.brunneusculus</i> (Hodgs. 1845) (3) <i>R. r. rattoides</i> (4) <i>Rattus nitidus nitidus</i> (Hodgs. 1845) (5) <i>Rattus niventer niventer</i> (Hodgs. 1836) (6) <i>Golunda ellioti myothrix</i> (Hodgs. 1845) (7) <i>Rattus nitidus nitidus</i> (8) <i>Bandicota indica</i>	Rats & mice of Nepal:- Rats:- (1) <i>nemorivagus</i> (2) <i>decumaroides</i> (now divided & named <i>bruneus</i> & <i>brunnensculus</i> ) (3) <i>rattoides</i> (4) <i>nitidus</i> (5) <i>niventer</i> (6) <i>myothrix potius lasyuurus</i> (7) <i>pyctorhis</i> (8) <i>macropus</i> (9) <i>horeites</i>	

		<p><i>nemorivaga</i></p> <p>Mice:-  (1)<i>Mus cervicolor cervicolor</i>  (Hodgs. 1845)  (2)<i>Mus musculus urbanus</i>  Hodgs. 1845 House Mouse  (3)<i>Mus musculus humourus</i>  (Hodgs. 1845)  (4) <i>Mus musculus urbanus</i>  Hodgs. 1845  (5)<i>Vandeleuria oleyacea dumeticola</i> Palm Mouse  Hodgs. 1845  (6) <i>Vandeleuria oleracea dumeticola</i> Palm Mouse  Hodgs. 1845</p> <p>Shrews of Nepal  (1)<i>Suncus murinus</i>  (2)<i>Suncus murinus soccatus</i>  Hodgs. 1845  (3)probably <i>Suncus murinus</i>  (4)probably <i>Sorex pygmaeus</i></p>	<p>Mice:-  (1)<i>cervicolor</i> (now divided into <i>cervicolor</i> &amp; <i>strophiatatus</i>)  (2)<i>dubius</i>  (3)<i>nipalensis vel humourus</i>  (4)<i>urbanus</i>  (5)<i>dumeticolus</i>  (6)<i>povensis</i></p> <p>Shrews of Nepal  (1) <i>indicus v. murinus</i>  (2) <i>soccatus</i>  (3) <i>nemorivagus</i>  (4) <i>pygmaeus</i></p>		
193.		<i>Suncus murinus</i>	<i>Sorex indicus murinus? mysorex? myosuroides mihi</i>		
194.		<i>Bandicota indica nemorivaga</i>	<i>Mus nemorivagus mihi</i> Large Spiny Wood Rat		Hab. Nepal central region of hills
195.		<i>Rattus niviventer niviventer</i>	<i>Mus (Rattus) niveiventer</i>		Central region of Himalayas in Nepal & Sikkim

			<i>mihi</i>		Valley of Nepal
196		(1) <i>Rattus rattus</i> (2) <i>Rattus niviventer</i> (3) <i>Bandicota indica nemorivaga</i> (4) <i>Vandeleuria oleracea dumeticola</i>	<i>Mus nemorivagus mihi</i> (1) <i>Mus decumanoides mihi</i> (2) <i>Mus niviventer</i> (3) <i>Mus nemorivagus</i> (4) <i>pavensis</i>		(1)Residency  (3)Valley of Nepal (4)Jahar Powa May All 4 of central region of Himalaya
197	(1) (2)Turkestan Rat	(1) <i>Rattus rattus brunneus</i> (2) <i>Rattus rattoides rattoides</i> Hodgs. 1845	(1) <i>Mus brunneus mihi</i> (2) <i>Mus rattoides mihi</i>		(1)killed in city June 28, killed in Residency March 4 (2)Hab. central region of mts
					Nb carried home in 1843and gave to British Museum a great number of specimens of these rats in order to prove my conviction that there are two species or varieties of the Brown Rat and one of the Black Rat proper to the Valley of Nepal, but never got in Sikim. The two Brown Rats are my <i>brunneus</i> and <i>brunneusculus</i> and the Black is my <i>rattoides</i>
198	Lesser Brown Rat	<i>Rattus rattus brunneusculus</i>	<i>Mus brunneusculus</i>		Hab. central region of mts. Valley of Nepal
199		<i>Rattus rattus brunneusculus</i>	<i>Mus brunneusculus</i>		
200		<i>Rattus nitidus nitidus</i>	<i>Mus nitituds mihi</i>		Central hills region a Nepal species frequenting housesgot at Kahulia Aug 20 6700 feet above sea. Rat of Sikki tarai, got at Siligori never seen in Nepal
201	Lesser Bandicoot Rat = Indian Mole Rat	<i>Bandicota bengalensis bengalensis</i> gray 1835	<i>Mus tarayensis</i>	71	
202	Chestnut Rat	<i>Rattus fulvescens fulvescens</i> Gray 1847	<i>Mus caudatior mihi</i>	75	house rat of Darjiling commonest sort

	(1)Palm Mouse (2)House Mouse	(1) <i>Vandeleuria oleracea dumeticola</i> Hodgs. 1845 (2) <i>Mus musculus homourus</i> Hodgs. 1845	(1) <i>Musculus dumeticolus</i> (2) <i>Mus darjilingensis</i>		(1)Hills near Residency Feb, central hills in woods (2)Hab. central region Darjiling May 10
203		<i>Mus cervicolor cervicolor</i>	<i>Mus cervicolor</i>		Central region of mts, abundant in cultivated fields of Valley of Nepal
204.		(1) <i>Mus cervicolor</i> (2) <i>Mus musculus urbanus</i> Hodgs. 1845 <i>Mus musculus homourus</i>	Nepalese mice:- (1) <i>cervicolor</i> (2) <i>dubius</i> (3) <i>nipalensis</i>		
205	Lesser Bandicoot rat Indian Mole Rat	<i>Bandicota bengalensis bengalensis</i> Gray 1845	<i>Mus morungensis</i>	73	Hab. the Morung and Sikim tarai 14 Feb 1850 Jungle of Siligori
206			<i>Mus aquicaudatus</i> <i>Darjiling House Rat</i>	72	Common rat of Sikim, never seen in Nepal
207	Lesser Bandicoot Rat	<i>Bandicota bengalensis bengalensis</i> Gray 1835	<i>Mus plurimammis mihi</i>		Field rat of the tarai of Sikkim got at Siligori Feb 1849
208	Bay Bamboo Rat Lesser Bamboo Rat	<i>Cannomys badius badius</i> Hodgs 1841	<i>Rhizomys badius mihi</i>	70	Hab. lower region of Himalaya Mukwanpur January and March, Siligori Aug & Nov Got in Nepal and Sikim
209	Sikkim Vole	<i>Pitymys sikimensis</i> Hodgs 1849	<i>Neodon sikimensis mihi</i>		Darjiling 7500 feet, nest in decayed fallen trees in forest. People say this species appears at long intervals and is produced out of the fruit of a tree. The fruit was brought to me and proved to be that of a large forest tree – a species of olve according to Dr Thomson to whom I showed it. Common in deep forests of central and northern regions to over 15,000 feet
210	Hodgson's Porcupine or	<i>Hystrix hodgsoni hodgsoni</i>	<i>Hystrix alophus mihi</i>		Hab. central region of Himalaya. 7500 feet.

	Crestless Porcupine		Crestless Porcupine		Darjiling May 1 1846
211	Hodgson's Porcupine	<i>Hystrix hodgsoni hodgsoni</i> Gray 1847	<i>Hystrix alophus</i>		Central region of Himalaya
212	Hodgson's Porcupine	<i>Hystrix hodgsoni hodgsoni</i> Gray 1847	<i>Hystrix alophus</i>		Very young porcupine central hills Feb 1 <sup>st</sup> died at Residency March 20
213	Indian Porcupine	<i>Hystrix indica indica</i>	<i>Hystrix leucurus</i>		Nepal
214		<i>Hystrix hodgsoni</i>	<i>Hystrix alophus</i>		Segouly, Jahar Powah
215		<i>Hystrix hodgsoni</i>	<i>Hystrix alophus</i>		
216	(1) Indian Hare  (2) Woolly Hare	(1) <i>Lepus nigricollis ruficaudatus</i> (2) <i>Lepus oiostolus oiostolus</i> Hodgs 1840	(1) <i>Lepus ruficaudata</i>  (2) <i>Lepus oiustolus</i>	36	Hab Plains and mountains of lower central regions Hab Tibet and northern region of Himalaya (also named <i>amodius</i> by me), Jahar Powah July 25
218	Indian Hare	<i>Lepus nigricollis ruficaudatus</i>	<i>Lepus macrotis</i>		Hab tarai Hindosthan proper and Bengal also the subhimalaya up to snow in Deccan replaced by <i>nigricollis</i>
219	Woolly Hare	<i>Lepus oiostolus oiostolus</i> Hodgs 1840	<i>Lepus pallipes</i>	20	Tibet
220	Hispid Hare	<i>Lepus hispidus</i>	<i>Caprolagus hispidus</i>	35	Hab saul forest Sikkim March 10
221	Himalayan Mouse-Hare	<i>Ochotona roylei</i>	<i>Lagomys nipalensis</i>	77	Hab. northern region of Himalaya Nepal and Sikkim. Gosainthan verge of perpetual snow, pair only in clefts of rocks on margin of the lake Cachar close to snow
222	Indian Elephant	<i>Elephas maximas maximas</i>	<i>Elephos indicus</i>		Hab. Saul forest
223	Great Indian One-horned Rhinoceros	<i>Rhinoceros unicornis</i>			Hab. Saul forest born in the Durbar's menagerie as elsewhere recorded by me.
224	Tibetan Wild Ass	<i>Equus hemionus kiang</i>	<i>Asinus kiang</i> Kiang	1	Kiang of Tibet
225	Horse	<i>Equus</i>	<i>Gyanchia</i> breed of Tibet		See my paper on the Ponies of Tibet and Himalaya. Breed of Tibet.

226	Horse	<i>Equus</i>	<i>Chyantia</i>		Breed of Tibet
227	Horse	<i>Equus</i>			Tibetan pony Shassa variety see my paper on hill ponies in Beng. As. Journal.
228	Horse	<i>Equus</i>			Habshez or Curly Piebald of Des Dharma or Bhutan
229	Wild Boar	<i>Sus scrofa cristatus</i>	<i>Sus var isonotus mihi</i>		Wild Hog of the hills Hab. general
230	Wild Boar	<i>Sus scrofa cristatus</i>			Hab. general, killed in Phulchok Nov 4
232			Wild Hog		Mountains, Darjiling, central hills Mahabarat
233	Pygmy Hog	<i>Sus salvanius</i> Hodgs 1847	<i>Porcula salvanius</i>	37	Hab. Saul forest
234	Pygmy Hog	<i>Sus salvanius</i> Hodgs 1847	<i>Porcula salvanius</i>		Saul forest April
235	Shou (a race of Kashmir Stag or Hangul)	<i>Cervus elaphus wallichi</i>	<i>Cervus affinis</i>	2	Shou of Tibet
236	Shou	<i>Cervus elaphus wallichi</i>	<i>Cervus affinis</i>		Hab. Tibet
237	Shou	<i>Cervus elaphus wallichi</i>	<i>Cervus wallichii</i>		Hab. The Cachar, Tibet. Nb The Cachar is the native name of the northern region of the Himalaya. For the three regions of the Himalaya, see essay on the Physical Geography of the Himalaya in No XXIVII of Selection from the records of the Government of Bengal 1857.
238	Swamp Deer	<i>Cervus duvauceli duvauceli</i>	(1) <i>Cervus jarai</i> (2) <i>Cervus elaphoides</i>		(1)young born here Oct 19 1837 (2)Bahray of Nepal, Maha of w. Himalaya
239	Swamp Deer	<i>Cervus duvauceli duvauceli</i>	<i>Cervus elaphoides</i>		
240	Swamp Deer	<i>Cervus duvauceli duvauceli</i>	<i>Cervus elaphoides</i>		1825
241	Swamp Deer	<i>Cervus duvauceli duvauceli</i>	<i>Rucervus elaphoides</i>		
242	Swamp Deer	<i>Cervus duvauceli duvauceli</i>	<i>Cervus dimorphe mihi</i>		A male got in Morang a year ago now three years old. Sikim, central hills
243			<i>Cervus dimorphe mihi</i>		
244	Sambar	<i>Cervus unicolor niger</i>	<i>Cervus jarai</i>		

245	Sambar	<i>Cervus unicolor niger</i>	<i>Jarai rusa</i>		
246	Sambar	<i>Cervus unicolor niger</i>	<i>Rusa jaraya</i>		
247	Sambar	<i>Cervus unicolor niger</i>	<i>Cervus jarai</i>	33	
248	Sambar	<i>Cervus unicolor niger</i>	Jarai	30	Lower regions of Himalaya
249	Sambar	<i>Cervus unicolor niger</i>	Jarai		With young
250	Sambar	<i>Cervus unicolor niger</i>	Jarai		
251	Sambar	<i>Cervus unicolor niger</i>	<i>Rusa jaraya</i>		
252	Chital or Spotted Deer	<i>Axis axis axis</i>	<i>Cervus axis</i> Chittal	1	Nov 1 1838, fam. lived here four years and a half
253	Chital or Spotted Deer	<i>Axis axis axis</i>	<i>Cervus axis</i> Chittal		Hab. the tarai June 30/34
254	Sambar	<i>Cervus unicolor niger</i>	<i>Axis major</i>		June 29/36
255	Hog Deer	<i>Axis porcinus porcinus</i>	<i>Axis minor</i> Hog Deer		
256	Hog Deer	<i>Axis porcinus porcinus</i>	<i>Cervus porcinus</i>		Hab. the tarai Hitauda
257	Hog Deer	<i>Axis porcinus porcinus</i>	<i>Axis minor</i>	39	
258	Hog Deer	<i>Axis porcinus porcinus</i>	<i>Axis minor</i>		
259	Hog Deer	<i>Axis porcinus porcinus</i>	<i>Axis medius</i> Lesser Spotted Deer		
260			<i>Stylocerus rutura</i>	31	Lower and central regions of Himalaya
261	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	<i>Rutila muntjar</i>	32	Melanistic variety killed at Ilam
262	Probably Barking Deer	Probably <i>Muntiacus muntjak vaginalis</i>	Ratura		
263	Probably Barking Deer	Probably <i>Muntiacus muntjak vaginalis</i>	Ratura		Young male two months old
264	Probably Barking Deer	Probably <i>Muntiacus muntjak vaginalis</i>	Ratura		
265	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	Ratura Muntjac		
266	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	Ratura Muntjac		
267	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	<i>Cervus muntjac</i> Head of Ratura		1826

268	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	Ratura or Barking Deer		Hab. central and lower regions
269	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	Ratura or Barking Deerr		Valley of Nepal, central and lower hills of Nepal
270	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	Ratura		Hab. central and lower regions
271	Barking Deer	<i>Muntiacus muntjak vaginalis</i>	<i>Ratura muntjac</i>		
272	Musk Deer	<i>Moschus moschiferous</i>	<i>Moschus chrysogaster</i> Golden-bellied Musk		Hab. Tibet
273	MuskDeer	<i>Moschus moschiferous</i>	<i>Moschus leucogaster</i>	20	Hab. Tibet
274	Musk Deer	<i>Moschus moschiferous</i> <i>moschiferous</i>	<i>Moschus saturatus</i>	10	Hab. northern region of Himalaya
275			<i>Moschus saturatus</i>		
276	Musk Deer	<i>Moschus moschiferous</i> <i>moschiferous</i>	<i>Moschus leucogaster</i>		Hab. Tibet
277	Musk Deer	<i>Moschus moschiferous</i> <i>moschiferous</i>	<i>Moschus saturatus</i>		Durbar animal keeper report that on 4 Dec ??? was covered and gave young
278	Musk Deer	(1) <i>Moschus moschiferous</i> <i>moschiferous</i> (2) <i>Moschus moschiferous</i> <i>moschiferous</i> (3) <i>Moschus moschiferous</i> <i>moschiferous</i>	(1) <i>leucogaster</i> (2) <i>chrysogaster</i> (3) <i>saturatus</i>		
279	Chiru or Tibetan Antelope	<i>Pantholops hodgsoni</i>	<i>Antelope hodgsonii</i>		Hab. Tibet
280	Chiru or Tibetan Antelope	<i>Pantholops hodgsoni</i>	<i>Antelope hodgsonii</i>		Chiru Antelope Raj Man Sing 1829
281	Chiru or Tibetan Antelope	<i>Pantholops hodgsoni</i>	<i>Antelope hodgsonii</i>		
282	Chiru or Tibetan Antelope	<i>Pantholops hodgsoni</i>	<i>Antelope hodgsonii</i>	6	
283	Chiru or Tibetan Antelope	<i>Pantholops hodgsoni</i>	<i>Antelope hodgsonii</i>		
284	Chiru or Tibetan Antelope	<i>Pantholops hodgsoni</i>	<i>Antelope hodgsonii</i>	6	
285	Himalayan Serow	<i>Capricornis sumatraensis thar</i> Hodgs. 1831	<i>Capricornis proclivus</i>		
287	Himalayan Serow	<i>Capricornis sumatraensis thar</i> Hodgs. 1831	<i>Capricornis bubalinus</i>		Hab. central region

288	Ghoral	<i>Nemorhaedus goral</i> (nb 2ssps <i>N. g. goral</i> and <i>N. g. hodgsoni</i> )	<i>Nemorhodus goral</i>		
289		<i>Nemorhaedus goral</i>	<i>Nemorhodus goral</i>	9	
290	Ghoral	<i>Nemorhaedus goral</i>	Goral		
291	Ghoral	<i>Nemorhaedus goral</i>	<i>Nemorhaedus goral</i>		
292	Ghoral	<i>Nemorhaedus goral</i>	Ghoral		Young male
293	Ghoral	<i>Nemorhaedus goral</i>	Ghoral antelope		
294	Ghoral	<i>Nemorhaedus goral</i>	<i>Nemorhodus goral</i>		Jan 22 Kachar
295	Ghoral	<i>Nemorhaedus goral</i>	Ghoral junior		
296	Goral	<i>Nemorhaedus goral</i>	Goral		
297	Four-horned Antelope (Chauka)	<i>Tetracercus quadricornis</i>	<i>Tetracercus</i> Chouka antelope		Hab. the tarai
298	Four-horned Antelope (Chauka)	<i>Tetracercus quadricornis</i>	<i>Tetracercus</i> Chouka Chousingha		Hab. lower region
299		<i>Tetracercus quadricornis</i>	<i>Tetracercus chousinha</i>		
300		<i>Tetracercus quadricornis</i>	<i>T. chouka vel chousingha</i> <i>Antelope quadricornis</i>		Saul forests Hetauda
301		<i>Tetracercus quadricornis</i>	Chikara or Chouka deer <i>Antelope bharatensis</i>		North-west provinces 1826
302		<i>Tetracercus quadricornis</i>	Chikara Chouka or Ravine Deer		NW provinces
304	Blackbuck	<i>Antelope cervicapra cervicapra</i>	Black Antelope		Hab. tarai January 25/36
305	Blackbuck	<i>Antelope cervicapra cervicapra</i>	<i>Antelope cervicapra</i>		Hab. tarai
306	Blackbuck	<i>Antelope cervicapra cervicapra</i>	<i>Antelope cervicapra</i>		Hab. tarai
307	Tibetan Gazelle Goa	<i>Procapra picticauda</i> Goa		5	Goa of Tibet
308	Himalayan Serow	<i>Capricornis sumatraensis thar</i>	<i>Capricornis bubulinus</i> <i>Thar</i>		Nepal
310	Himalayan Serow	<i>Capricornis sumatraensis thar</i>	<i>Nemorhadus bubalinus</i>		

311	(1)Himalayan Serow  (2)Goral	(1) <i>Capricornis sumatraensis thar</i>  (2) <i>Nemorhaedus goral</i>	(1) <i>Capricornis bubalinus Thar</i>  (2) <i>Nemorhodus goral</i>	8	(1)Adult female hills of Valley Hab. central region  (2)Found all over hills wherever precipices and crags also in dells where rough and rocky, usually alone. Most wary and least noise send him over ground that makes your blood run cold even to look at, but whistle and he halts instantly for moment, then on, never you get a shot.
312	Himalayan Serow	<i>Capricornis sumatraensis thar</i>	<i>Capricornis bubulinus</i>		
313	Takin	<i>Budorcas taxicolor</i> Hodgs.	<i>Budorcas taxicolor</i>	12	Bovine antelope of east Himalaya
314	Takin	<i>Budorcas taxicolor</i>	<i>Budorcas taxicolor</i>		
315	Domestic goat				Central northern region
316	Sinal goat				
317	Sinal				
318	Wild Goat	<i>Capra hircus</i>	Shaul Goat		
319	Wild Goat	<i>Capra hircus</i>	Greater and Lesser or Shaul Goat Trans and Cis		Hab. northern region of Himalaya
320	Wild Goat	<i>Capra hircus</i>	Chyapu or Shaul Goat		
321		<i>Capra hircus</i>	Chyapu or Lesser Shaul Goat		Hab. northern region of Himalaya
323			Goat		
324			Common Goat of Nepal proper		
326	Himalayan Tahr or Jharal	<i>Hemitragus jemalhicus</i>	<i>Hemitragus jemalicus</i>		Jharal of the Nepalese Hab. northern region of Himalaya
327	Himalayan Tahr or Jharal	<i>Hemitragus jemalhicus</i>	<i>Hemitragus quadrimammis</i> nob. <i>Capra jemlaica</i>	7	
328	Himalayan Tahr or Jharal	<i>Hemitragus jemalhicus</i>	<i>Hemitragus jemlaica</i>		
329	Himalayan Tahr or Jharal	<i>Hemitragus jemalhicus</i>	<i>Hemitragus im Jharal</i>		Northern region

330	Himalayan Tahr or Jharal	<i>Hemitragus jemalhicus</i>	Jharal Wild Goat		
331	Himalayan Tahr or Jharal	<i>Hemitragus jemalhicus</i>	<i>Hemitragus Jharal</i>		
333	Nyan Sheep or Argali or Great Tibetan Sheep	<i>Ovis ammon hodgsoni</i>	<i>Ovis ammonoides</i>	3	
334			<i>Ovis ammonoides</i>		
335	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833	<i>Pseudois napura</i>		
336	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833	<i>Pseudois napura</i>		
337	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833	<i>Pseudois napura</i>		Hab. Kachar & Tibet
338	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833	<i>Pseudois napura</i>		
339	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833	<i>Ovis nahura</i> Wild Sheep <i>Pseudois nahura</i>		
340	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833			
342	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833		4	Hab. snowy regions of Himalayas and Tibet
343	Blue Sheep	<i>Pseudois nayaur nayaur</i> Hodgs. 1833			Hab. Kachar and Tibet
344	Domestic Sheep		Indian Dumba Sheep		Very rare in the hills
345	Domestic Sheep		Dumba Sheep		(1) India (2) Afghanistan
346	Domestic Sheep		Cagoor Cagia Bheia		Central region
347	Domestic Sheep		Cago Sheep		
348			Domestic sheep of Nepal		
349			Burwal domestic sheep		

			of Nepal		
350	Probably Blue Sheep	Probably <i>Pseudois nayaur</i>	<i>Ovis barval</i>		Hab. northern region, tame sheep of Kachar
351	Probably Blue Sheep	Probably <i>Pseudois nayaur</i>	<i>Ovis barval</i>		Burwal sheep of northern region
352	Probably Blue Sheep	Probably <i>Pseudois nayaur</i>	Barwal		
353	Domestic sheep		Hunia or Hoonia		Kachar and Tibet
354	Domestic sheep		<i>Ovis hunia</i>		
355	Probably Blue Sheep	Probably <i>Pseudois nayaur</i>	(2)Barwal (3)Hunia sheepo	(3) 87	Kachar and Tibet
356	Domestic sheep		Silingia sheep		Northern region of Tibet, male from Silingu, Tibet
357	Domestic sheep		Changluk or Domestic sheep	88	Chang dist. Tibet
358			<i>Bibos axurus</i>		Hab. Saul
359	Gaur	<i>Bos gaurus gaurus</i>	Gaur of India <i>Bibos cavifrons</i>		
360	Gaur	<i>Bos gaurus gaurus</i>	<i>Bibos cavifrons</i>		
361	Gaur	<i>Bos gaurus gaurus</i>	<i>Bibos cavifrons</i>		
362			<i>B. cavifrons</i> or <i>gaurus</i>		Hab. Saul forest
363	Gaur	<i>Bos gaurus gaurus</i>	<i>Bibos cavifrons</i>		
364	Gaur	<i>Bos gaurus gaurus</i>	<i>Bos sylhetanus</i>		
365	Domestic cattle		Domestic cattle		Tarai
366	Domestic cattle		Domestic cattle		Sikim
367	Domestic cattle		Domestic cattle		Sikim
368	Domestic cattle		Domestic cattle		Nepal
369	Domestic cattle		<i>Bos taurus</i>		Hill cattle of Nepal
370	Wild Water Buffalo	<i>Bubalis bubalis bubalis</i>	<i>Bubalus arnai</i>		Hab. Saul Forest
371	Gaur	<i>Bos gaurus</i>	<i>Bibo cavifrons</i> <i>Bos gaurus</i>		Hab. Saul forest
372	Wild Water Buffalo	<i>Bubalis bubalis bubalis</i>	<i>Bubalus arna</i>		Saul forest
373	Wild Water Buffalo	<i>Bubalis bubalis bubalis</i>	<i>Bubalus arna</i>		

374	Wild Water Buffalo	<i>Bubalis bubalis bubalis</i>	<i>Bubalus arna</i>		
375	Wild Water Buffalo	<i>Bubalis bubalis bubalis</i>	<i>Bubalus arna</i>		Arna reared in confinement
376	Wild Water Buffalo Gaur	<i>Bubalis bubalis bubalis</i> <i>Bos gaurus</i>	<i>Bubalus arna</i> <i>Bibos gaurus</i>		
377	Yak	<i>Bos grunniens</i>	<i>Bisonius grunniens</i>	11	Nov 26
378	Yak	<i>Bos grunniens</i>	<i>Bison paephagus</i>		Yak of Tibet
379	Yak	<i>Bos grunniens</i>	Yak		
380	Yak	<i>Bos grunniens</i>	Yak		
381	Yak	<i>Bos grunniens</i>	Yak		
382	Yak	<i>Bos grunniens</i>	<i>Bisonus poephagus</i>		
383	Pangolin, Eastern Pangolin	<i>Manis pentadactyla aurita</i> Hodgs. 1836	<i>Manis auritus</i>		Hab. central region, Sept 10 two skins from shops of Valley
384	Pangolin, Eastern Pangolin	<i>Manis pentadactyla aurita</i> Hodgs. 1836	<i>Manis auritus</i>		Sikkim June 10 Darjiling 5000 feet
385	Pangolin, Eastern Pangolin	<i>Manis pentadactyla aurita</i> Hodgs. 1836	<i>Manis auritus</i>		Stomach
386	Pangolin, Eastern Pangolin	<i>Manis pentadactyla aurita</i> Hodgs. 1836	<i>Manis auritus</i>	33	Central region
389- 399	Skulls				
400	Hoofs of Kiang				
401- 402	<i>Panthalops hodgsoni</i> antlers				
403	<i>Procapra picticauda</i> antlers				
404	Antlers of several species				
405- 407	Skulls				
408- 409	<i>Bibo cavifrons</i> heads				

410	Skulls				
411	Head of <i>Cervus ratura</i> Ratura Deer				Raj Man Singh
412	Ratura head				
413	Barking Deer or Ratura heads				
414	Antlers of <i>Cervus ratura</i>				
415	Antlers and horns of several species				
416	Musk pod genital and anal organs of MuskDeer				
417	Stomachs <i>Moschus</i> <i>moschifer</i>				
418	Heads of Wild Boar, stomach & intestine of <i>Macacus oinops</i>				
419	Text				
420	Ghoral heads				
421- 422	Skulls & horns				
423- 424	Head of Greater Shaul Goat				
425	Head of <i>Antelope</i> <i>cervicapra</i>				
426	Burwal of the Cachar				
427	Heads of <i>Ovis</i> <i>ammonoides</i> Wild Sheep of Himalaya				
428	Skull of <i>Ovis ammonoides</i>				
429	Horns of <i>Ovis ammonoides</i>				

430-431	Skull & horns of <i>Ovis ammonoides</i>				
432	Heads of Wild Sheep				
433-437	Skulls				
438	Heads of <i>Ovis nahura</i> nob. <i>hemalg.</i>				
439	Head & skulls of <i>Pseudois</i> nob. <i>Ovis nahura</i>				
440-441	Antlers				
442	<i>Cervus affinis</i> head & skulls				
443	Skulls of <i>C. affinis</i>				
444-445	Skulls				
446-450	Antlers				
451	Skulls				
452	Heads				
453-468	Skulls				
469-470	Head of <i>Cuon primavus</i>				
471	Foot of <i>Cuon primavus</i>				
472	<i>Vulpes indicus</i> head				
473	<i>Cuon primevus</i> head				
474	Jackal heads				Tarai January 1832
475	Tibetan mastiff				
476	<i>Zibetta viverra</i>				



