

## Hodgson Volume VI

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
1	Indian Bustard <i>Ardeotis nigriceps</i>	<i>Otis nigriceps</i>	778	1 <sup>st</sup> N 778 2 <sup>nd</sup>			Never seen in the hills, rare below in this side of the Ganges. North West pair.
2	Lesser Florican ♀ <i>Sypheotides indicus</i>	<i>Oticolus auritus</i>	116	1 <sup>st</sup> N 116,117 2 <sup>nd</sup>	<i>Sypheotis aurita</i>		23/5 Valley; 4/6, 24/5
3	Bengal Florican <i>Houbaropsis bengalensis</i>	<i>Otis benghalensis major</i>	115	1 <sup>st</sup> N 115 2 <sup>nd</sup>	<i>Houbaropsis benghalensis</i>	Yes	20/1 Bitoulish tarai; 4/8; 6; 5/7; In tarai 6 months or more; Bettiah Bajju records it is a terai bird & breeds there
4 5	Bengal Florican ♀ <i>Houbaropsis bengalensis</i>	<i>Otis bengalensis major</i>	115	1 <sup>st</sup> N 115 2 <sup>nd</sup>	<i>Houbaropsis benghalensis</i>		15/1 Siligari, Sikim tarai
6	Lesser Florican ♀ <i>Sypheotides indicus</i>	<i>Otis benghalensis major</i> Numbered as lesser but Latin name given as benghalensis- looks like Lesser	116	1 <sup>st</sup> N 116 117 2 <sup>nd</sup>			24/5, 4, Valley; 3/6, 14/6. 29/5, 22/5, 1/6 (specimen with small eggs)

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
7	Lesser Florican <i>Sypheotides indicus</i>	<i>Oticulus auritus</i>	117	1 <sup>st</sup> N 117, 116 2 <sup>nd</sup>	<i>Sypheotis aurita</i>		25/6 Valley
8	Bengal Florican pair <i>Houbaropsis bengalensis</i>	Names given in Nepali	115	1 <sup>st</sup> N 115 2 <sup>nd</sup>	<i>Houbaropsis benghalensis</i>		
9	Bengal Florican pair <i>Houbaropsis bengalensis</i>	Name given in Nepali	115	1 <sup>st</sup> N 115 2 <sup>nd</sup>	<i>Houbaropsis benghalensis</i>		
10	Lesser Florican <i>Sypheotides indicus</i>	<i>Oticulus auritus</i>	116-7	1 <sup>st</sup> N 116-7 2 <sup>nd</sup>	<i>Sypheotis aurita</i>		
11	Indian Courser <i>Cursorius coromandelicus</i>	Nepali name	574	1 <sup>st</sup> N 574 2 <sup>nd</sup>	<i>Cursorius coromandelicus</i>	Yes	30/1, 10/2 (eggs ready) tarai; 20/2 On dry plains

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
12	Oriental Pratincole <i>Glareola maldivarum</i>	<i>Glareola thermophila</i>	799	1 <sup>st</sup> N799 2 <sup>nd</sup>			10/6 Valley Mere passenger in the hills
13	Little Pratincole <i>Glareola lactea</i>		825	1 <sup>st</sup> N 825 2 <sup>nd</sup>	<i>Galactochrysea lactea</i>		
14(1)	Little Pratincole <i>Glareola lactea</i>	<i>Glareola nipalensis (potiuscinerscens)</i>	658	1 <sup>st</sup> N658 2 <sup>nd</sup>	<i>Galactochrysea lactea</i>		24/6 Banks of Bagmati
14(2)	Little Pratincole <i>Glareola lactea</i>	<i>Glareola gargetica</i>	825	1 <sup>st</sup> N825 2 <sup>nd</sup>	<i>Galactochrysea lactea</i>		Ganges, Feb
15	Grey Plover <i>Pluvialis squatarola</i>	<i>Squatarola cinerea</i>	672	1 <sup>st</sup> N672 2 <sup>nd</sup> 2			2/1, 2/10 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
16	Pacific Golden Plover <i>Pluvialis fulva</i>	<i>Charadrius pluvialis</i>	536	1 <sup>st</sup> N536 2 <sup>nd</sup>	<i>Charadrius dominicus</i>		12/9, 20/9 Valley; 8, 9; a mere passenger to & fro the Hills during spring & autumn migration.
17	Pacific Golden Plover <i>Pluvialis fulva</i>	<i>Charadrius pluvialis</i>	535	1 <sup>st</sup> N 535 2 <sup>nd</sup>	<i>Charadrius dominicus</i>		14/9, 4/9 Valley
18(1)	Lesser Sand Plover <i>Charadrius mongolus</i>	<i>Charadrius rufinus</i>	669	1 <sup>st</sup> N 669			1/5 Valley
18(2)	Lesser Sand Plover <i>Charadrius mongolus</i>	<i>Charadrius rufinus</i>	669	1 <sup>st</sup> N 669			1/5 Valley
18(3)	Greater Sand Plover <i>Charadrius leschenaultii</i>	<i>Charadrius subrufinus</i>	124	1 <sup>st</sup> N 124, 125 2 <sup>nd</sup>			10/6 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
18(4)	Greater Sand Plover <i>Charadrius leschenaultia</i>	<i>Charadrius subrufinus</i>	124	1 <sup>st</sup> N 124, 125			10/6 Valley
19	Greater or Lesser Sand Plover	<i>Charadrius subrufinus</i> (numbered as Lesser but Latin name given as greater)	669				23/9, 20/9, Valley
20	Northern Lapwing <i>Vanellus vanellus</i>		625	1 <sup>st</sup> N 625 2 <sup>nd</sup>	<i>Vanellus vanellus</i>		31/3 Valley; 10; Valley passenger. Cold season below, seldom or never seen in the hills, only momentarily at seasons of migration.
21	Red-wattled Lapwing <i>Vanellus indicus</i>	<i>Lobivanchus goensis</i> (The Hote teeok Peewit)	228	1 <sup>st</sup> N 228 2 <sup>nd</sup>	<i>Sarcogrammus indicus</i>		Valley, Plains, 10
22	Red wattled Lapwing <i>Vanellus indicus</i>	<i>Lobivanchus goensis</i> (The Hotiteeok Peewit)	228	1 <sup>st</sup> N 228 2 <sup>nd</sup>	<i>Sarcogrammus indicus</i>	Y	+egg. Common all over hills; 6 Valley.

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
23	Yellow-wattled Lapwing <i>Vanellus malabaricus</i>	<i>Sarcioporus fuscus</i>	810	1 <sup>st</sup> N 810 2 <sup>nd</sup>	<i>Lobipluvia malabarica</i>		31/12 Segouly; never seen in hills.
24	River Plover <i>Vanellus duvaucelii</i>	<i>Philomachus ventralis</i>	227	1 <sup>st</sup> N 227 2 <sup>nd</sup>	<i>Hoplopterus ventralis</i> Nepal		14/4 Segouly; Very rare in hills, Seen as a momentary passenger
25	Great Thick-knee <i>Esacus recurvirostris</i>	<i>Charadriatloa pseudops</i>	118	1 <sup>st</sup> N 118 2 <sup>nd</sup>	<i>Oedictnemus oedictnemus</i>	Y	14/4 Lower hills; 25/2 tarai; Greater river sides, always in plains of India.
26	Eurasian Thick-knee <i>Burhinus oedictnemus</i>	<i>Oedictnemus crepitans</i>	53	1 <sup>st</sup> N 53 2 <sup>nd</sup>	<i>Esacus recurvorstris</i>	Y	11; 15/6 Garden. Dry plains like Charaj; Not known in hills save as a passenger; stays in Nepal proper at seasons of migration.
27	Eurasian Oystercatcher <i>Haematopus ostralegus</i>	<i>Hamatopus ostralegus</i>	807	1 <sup>st</sup> N 807 2 <sup>nd</sup>	<i>Haematopus ostralegus</i>		8/10 Nepal proper- Valley of Nepal; seems rare in plains seen in hills as a mere passenger in Spring & Autumn migrations to and fro plains of India

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
28	Common Crane <i>Grus grus</i>		966	2 <sup>nd</sup> 966	<i>Grus lilfordi</i>		24/2 Sikkim tarai; 14/2 Titilya [in Sikkim tarai]
29	Demoiselle Crane <i>Grus virgo</i>	<i>Anthropoides virgo</i>	588	1 <sup>st</sup> N 588	<i>Anthropoides virgo</i>		18/4 Valley; 15/4, 15/10; Valley passenger end of spring and beginning of Summer
30	Sarus Crane <i>Grus antigone</i>	Nepali name	909	2 <sup>nd</sup> 909	<i>Antigone collaris</i>		
31	Eurasian Woodcock <i>Scolopax rusticola</i>	<i>Scolapax rusticola</i>	546	1 <sup>st</sup> 546 2 <sup>nd</sup>  High mountains of India	<i>Scolopax rusticola</i>		10/1 Jar Powah; 8/3, 25/1, 11/3, 12/11.
32	Eurasian Woodcock <i>Scolopax rusticola</i>				<i>Scolopax rusticola</i>		

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
33	Eurasian Woodcock <i>Scolopax rusticola</i>	<i>Scolapax rusticola</i>	546	1 <sup>st</sup> 546 2 <sup>nd</sup>	<i>Scolapax rusticola</i>  High Mountains of India	Yes	5/11, 4/12 Valley, 24/2 Powah eggs beginning to dilate 28/11, 18/12, 24/12, 6/08 6/1855 with nest + eggs 11,000 feet [in Darjeeling or Nepal?]
34	Wood Snipe <i>Gallinago nemoricola</i>	<i>Gallinago nemoricola</i>	540	1 <sup>st</sup> N 540, 541 2 <sup>nd</sup>	<i>Gallinago nemoricola</i>		4/12; 17/12; 10/3 eggs swelling Valley; 20/1; central region & rarely lower also. 10/2 Jahar Powah.
35	Wood Snipe <i>Gallinago nemoricola</i>	<i>Gallinago nemoricola</i>	540	1 <sup>st</sup> N 540,541 2 <sup>nd</sup>	<i>Gallinago nemoricola</i>		
36	Wood Snipe <i>Gallinago nemoricola</i>	<i>Gallinago nemoricola</i>	540	1 <sup>st</sup> N 540, 541 2 <sup>nd</sup>	<i>Gallinago nemoricola</i>		12/5 Godaveri eggs size of large pea, 22/3; 4/9, Sankhu or Saukhu; 16/3 Thankot; 20/1 Valley of Rapti; 11/1 Jar Powah.
37	Wood Snipe <i>Gallinago nemoricola</i>	<i>Gallinago nemoricola</i>	541	1 <sup>st</sup> N 540, 541 2 <sup>nd</sup>	<i>Gallinago nemoricola</i>		



Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
38	Solitary Snipe <i>Gallinago solitaria</i>	<i>Gallinago solitaria</i>	547	1 <sup>st</sup> N 547, 548 2 <sup>nd</sup>	<i>Gallinago solitaria</i>		16/3 Thankot; 26/11; 12 Skirts of wood of Nipa & other localities on the plains adjacent to the mountains as upper Dââ; 11/3 Godaveri
39	Solitary Snipe <i>Gallinago solitaria</i>	<i>Gallinago solitaria</i>	Bird no.?	1 <sup>st</sup> N547, 548 2 <sup>nd</sup>	<i>Gallinago solitaria</i>		1/1 Panouti; 22/3 Susineli
40	Solitary Snipe <i>Gallinago solitaria</i>	<i>Gallinago solitaria</i>	548	1 <sup>st</sup> N547, 548 2 <sup>nd</sup>	<i>Gallinago solitaria</i>		31/12, 8/1 Valley
41	Solitary Snipe <i>Gallinago solitaria</i>	<i>Gallinago solitaria</i>	547-8	1 <sup>st</sup> N547, 548 2 <sup>nd</sup>	<i>Gallinago solitaria</i>		
42	Pintail Snipe <i>Gallinago stenura</i>	<i>Gallinago biclavata</i>	545	1 <sup>st</sup> N544 2 <sup>nd</sup> 546	<i>Gallinago stenura</i>		25/2 Manohara Khelah; 1/3, 26/3, 30/3, 2/4, 2/5; 25/4.

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
43	Pintail Snipe <i>Gallinago stenura</i>	<i>Gallinago biclavata</i>	544, 545	1 <sup>st</sup> N544, 546			17/12, 15/12, 4, 8/9, 20/8; 6/9 Valley; 14/1 Low hills; 29/10, 26/11, 24/4, 4/5, 5/1.
44	Common Snipe <i>Gallinago gallinago</i>	<i>Gallinago uniclavata</i>	543	1 <sup>st</sup> N542m 543 2 <sup>nd</sup>	<i>Gallinago gallinago</i>		17/12, 4 Valley, 19/11, 20/11, 26/11, 29/4.
45	Common Snipe <i>Gallinago gallinago</i>	<i>Gallinago uniclavata</i>	542	1 <sup>st</sup> N542, 543	<i>Gallinago gallinago</i>		6/9,4 Valley; 4/3 from plains' 8/5, 4/5, 15/5
46	Common Snipe <i>Gallinago gallinago</i>	<i>Gallinago uniclavata</i>	542	1 <sup>st</sup> N542, 543	<i>Gallinago gallinago</i>		15/12 Nepal proper; 26/2, 25/2, 1/3, 7/3, 2/3, 2/4, 1/5; in plains cold season only- never breeds there.
47	Jack Snipe <i>Limnocryptes minimus</i>	<i>Gallinago gallinua</i>	608	1 <sup>st</sup> N608	<i>Limnocryptes gallinule</i>		3/11, 17/12, 10/2 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
48	Greater Painted-snipe <i>Rostratula benghalensis</i>			1 <sup>st</sup> N538, 539 Hills & plains of North in cold season 2 <sup>nd</sup>	<i>Rostratula capensis</i>		Valley from 8 to 5 also in plains; 31/8, 15/10
49	Greater Painted-snipe <i>Rostratula benghalensis</i>	<i>Rhynchoa indica</i>	538-539	1 <sup>st</sup> N538, 539 2 <sup>nd</sup>	<i>Rostratula capensis</i>	Y	12/2, 14/4, 6/5, 12/5 (eggs fully developed) Valley; 16/9
50	Black-tailed Godwit <i>Limosa limosa</i>	<i>Limosa malannroides</i>	537	1 <sup>st</sup> N537 2 <sup>nd</sup>	<i>Limosa limosa</i>		9, 21/10, 27/10 Valley; 27/4, 17/8, 15/9; 6 months of cold season below, small flocks feed by day on chours or moist cultivated plots.
51	Eurasian Curlew <i>Numenius arquata</i>	<i>Numenius arguatula</i>	615	1 <sup>st</sup> 615 2 <sup>nd</sup>	<i>Numenius arquatus</i>		30/8 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
52	Eurasian Curlew <i>Numenius arquata</i>	Long billed curlew (no Latin given)		1 <sup>st</sup> N614 2 <sup>nd</sup>			Spring Valley
53	Eurasian Curlew <i>Numenius arquata</i>	<i>Scolopax arguata</i>	614	1 <sup>st</sup> N614 2 <sup>nd</sup>	<i>Numenius arquatus</i>		12/9, spring Valley
54	Eurasian Curlew <i>Numenius arquata</i>	<i>Numenius arguata</i> Also <i>Scolopax arguata</i>	615	1 <sup>st</sup> N614 2 <sup>nd</sup>	<i>Numenius arquatus</i>		31/8, 18/4, 2/10 Valley; plains cold season only.
55	Whimbrel <i>Numenius phaeopus</i>	<i>Numenius scolopax phaeopus</i>	616	1 <sup>st</sup> N616 2 <sup>nd</sup>	<i>Numenius phaeopus</i>		10/8, 10/9 Valley
56	Ibisbill <i>Ibidorhyncha struthersii</i>	<i>Clorhynchus strophiatius</i>	576	1 <sup>st</sup> N576 2 <sup>nd</sup>	<i>Ibidorhyncha struthersii</i>		15/1 Valley; passenger valley; 18/10 Banks of Bishnumati; 6/12 Banks of Tady Valley of Nagakot; vary rare below, hardly known to most expert Shikaris; seen only in cold weather in hills.

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
57	Ibisbill <i>Ibidorhyncha struthersii</i>  Pencil drawing	<i>Clorhynchus strophiatius</i>	576	1 <sup>st</sup> N576 2 <sup>nd</sup>	<i>Ibidorhyncha struthersii</i>		
58	Ruff <i>Philomachus pugnax</i>	<i>Manchetes optatus</i>	366	1 <sup>st</sup> N 412, 597, 366, 823, 664 2 <sup>nd</sup>	<i>Pavoncella pugnax</i>		18/9 Valley; 15/10
59	Ruff <i>Philomachus pugnax</i>	<i>Manchetes optatus</i>	823	1 <sup>st</sup> N 412, 597, 366, 823, 664 2 <sup>nd</sup>	<i>Pavoncella pugnax</i>		9 Valley; 15/10
60	Ruff <i>Philomachus pugnax</i>	<i>Manchetes optatus</i>	597	1 <sup>st</sup> N 412, 597, 366, 823, 664 2 <sup>nd</sup>	<i>Pavoncella pugnax</i>		28/9 Valley; 15/10; 27/9
61	Ruff <i>Philomachus pugnax</i>	<i>Manchetes pugnax</i>	597	1 <sup>st</sup> N 412, 597, 366, 823, 664 2 <sup>nd</sup>	<i>Pavoncella pugnax</i>		20/2 Segouly Plains of tarai

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
62	Dunlin <i>Calidris alpina</i>	<i>No Latin name in ink</i> <i>In pencil Tringa cinclus</i>	740	1 <sup>st</sup> N 740 2 <sup>nd</sup>	<i>Pelidna alpina</i>		Valley (eggs swelling –no date given)
63	Little Stint <i>Calidris minuta</i>		751-2	1 <sup>st</sup> N751-2	<i>Limonites minuta</i>		12/5. 24/3 Valley
64	(3) Temminck's Stint <i>Calidris temminckii</i>	<i>Tringa pusilla</i> <i>Pelinox pusilloides</i>	629	1 <sup>st</sup> N629 2 <sup>nd</sup>	<i>Limonites temmincki</i>		
	(1) + (2) Little Ringed Plover <i>Charadrius dubius</i>	<i>Charadrius hiataculoides</i>	628	1 <sup>st</sup> N628 2 <sup>nd</sup>	<i>Aegialiatus alubia</i>		
	(3) Temminck's Stint <i>Calidris temminckii</i>	<i>Tringa pusilla</i> <i>Pelinox pusilloides</i>	629	1 <sup>st</sup> N629 2 <sup>nd</sup>	<i>Limonites temmincki</i>		(3)Come and go with snipes; 8/3 Valley. (3) must be Temminck's

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
65	Wood Sandpiper <i>Tringa glareola</i>	<i>Totanus glareoloides</i>	748	1 <sup>st</sup> N 745,748 2 <sup>nd</sup>	<i>Rhyacophilus glareola</i>		20/2 Segouly)
66	Wood Sandpiper <i>Tringa glareola</i>	<i>Totanus glareoloides</i>	748	1 <sup>st</sup> N 745 2 <sup>nd</sup> 748	<i>Rhyacephilus glareola</i>		4/5 valley
67	Looks like Green Sandpiper <i>Tringa ochropus</i> but number & latin name indicate Wood <i>Tringa glareola</i>	<i>Totanus glareoloides</i>	745	1 <sup>st</sup> N 744	<i>Helodremas ochropus</i>		
68	Also looks like Green Sandpiper but number & latin indicate Wood (1) and (2) Green Sandpiper <i>Tringa ochropus</i>	<i>Totanus glareola</i> <i>Totanus ochropus</i>	745 744	1 <sup>st</sup> N744	<i>Helodremas ochropus</i>		(1) 20/1, 3/10 valley; 28/12 Hitaura 16/2 tarai (2) 1/1 Valley "same as the above" written on drawing
69	Common Sandpiper <i>Actitis hypoleucos</i>	<i>Totanus hypoleucos</i>	557	1 <sup>st</sup> N557 368-9 2 <sup>nd</sup>	<i>Tringoides hypoleucos</i>		11, 29/3 (16/10,12/9, 10/5) Valley; 20/11

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
70	(1) Common Sandpiper <i>Actitis hypoleucos</i>	<i>Totanus auritus</i> <i>Totanus macularius</i>	368	1 <sup>st</sup> N557 368-9 2 <sup>nd</sup>	<i>As above</i>		22/9, 20/11, 12/9 Valley
	(2) Green Sandpiper  Looks like Green but numbered as Common	<i>Totanus chistacea</i> <i>Tringa ochropus</i>	369	1 <sup>st</sup> N 744 2 <sup>nd</sup>	<i>Helodromas ochropus</i>		26/1, 20/2, 7/3, Valley
71	Common Greenshank <i>Tringa nebularia</i>	<i>Totanus glotoides</i>	549	1 <sup>st</sup> 549, 766	<i>Glottis nebularius</i>		12/9, 3/10 Valley. 10/9, 10/5, 8/12 tarai
72	Common Greenshank <i>Tringa nebularia</i>	<i>Totanus glotoides</i>	549 Number 766 crossed out	1 <sup>st</sup> N549, 766	<i>Glottis nebularius</i>		10/9 valley spring & autumn migration; 26/2
73	Common Greenshank <i>Tringa nebularia</i>	<i>Totanus glotoides</i>	912	912 2 <sup>nd</sup>	<i>Glottis nebularius</i>		



Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
74	Common Greenshank ♀ <i>Tringa nebularia</i>	<i>Totanus glotoides – in pencil</i>		1 <sup>st</sup> N549, 766	<i>Glottis nebularius</i>		3 valley
75	Spotted Redshank <i>Tringa erythropus</i>	<i>Totanus fuscus</i>	798	1 <sup>st</sup> N798 2 <sup>nd</sup>	<i>Totanus fuscus</i>		6/5, 10/5 Valley eggs (big) 26/5
76	Common Redshank <i>Tringa totanus</i>	<i>Totanus calidris</i>	367	1 <sup>st</sup> N367	<i>Totanus calidris</i>		15/10, 3/10 Valley; cold season below
77	Common Redshank <i>Tringa totanus</i>	<i>Totanus calidris</i>	367	1 <sup>st</sup> N367	<i>Totanus calidris</i>		14/5; 15/10
78	Black-winged Stilt <i>Himantopus himantopus</i>	Nepali only	556	1 <sup>st</sup> N 556 2 <sup>nd</sup>	<i>Himantopus himantopus</i>		

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
79	Black winged Stilt <i>Himantopus himantopus</i>	<i>Himantopus melanopterus</i>	556	1 <sup>st</sup> N 556 2 <sup>nd</sup>	<i>Himantopus himantopus</i>		11/9, 28/9 Valley; 28/9, 4; 20/2 Segouly Passenger in hills
80	Pied Avocet <i>Recurvirostra avocetta</i>		573	1 <sup>st</sup> N 573 2 <sup>nd</sup>	<i>Recurvirostra avocetta</i>		10,10/11 Valley, More passenger in hills
81	Bronze-winged Jacana <i>Metopidius indicus</i> immature	<i>Parra phoenicura v. superciliosa</i>	572	1 <sup>st</sup> N 570 2 <sup>nd</sup>	<i>Metopidius indicus</i>		
82	Bronze-winged Jacana <i>Metopidius indicus</i> 2 adults + immature	<i>Parra phoenicura v. superciliosa</i>	572 (imm) 570 (ad)	1 <sup>st</sup> N570 (adult) 2 <sup>nd</sup>	<i>Metopidius indicus</i>	Y	tarai 1/2, 10/3; In tals
83	Bronze-winged Jacana <i>Metopidius indicus</i> immature	<i>Metopidius indicus (in pencil)</i>			<i>Metopidius indicus</i>		

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
84	Pheasant-tailed Jacana <i>Hydrophasianus chirurgus</i>	<i>Parra sinensis</i> <i>Parra indica</i>	563 719	1 <sup>st</sup> N 563 2 <sup>nd</sup>	<i>Hydrophasis chirurgus</i>	Y	18/5 Valley eggs big; 30/7 central hills; Segouly 25/3; 30/4, 20/5, 1/3 tarai
85	Purple Swamphen <i>Porphyrio porphyrio</i>	<i>Porphyrio hyacinthius</i>	562	1 <sup>st</sup> N562 662 2 <sup>nd</sup>	<i>Porphyrio poliocephalus</i>	Y	10/4, 15/11 Valley passenger?; 14/4 Segouly
86	Common Coot <i>Fulica atra</i>	<i>Fulica atna</i>	621	1 <sup>st</sup> N 621 2 <sup>nd</sup>	<i>Fulica atna</i>		30/10 Tanks of Valley; 4/4 tarai; 22/10
87	Common Coot <i>Fulica atra</i> pencil drawing	<i>Fulica atna in pencil</i>		1 <sup>st</sup> N 621 2 <sup>nd</sup>	<i>Fulica atna</i>		
88	Common Moorhen <i>Gallinula chloropus</i> young			1 <sup>st</sup> N 633-4 2 <sup>nd</sup>	<i>Gallinula chloropus</i>		10 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
89	Common Moorhen <i>Gallinula chloropus</i>	<i>Gallinula chloropus</i>	663	1 <sup>st</sup> N 633-4 2 <sup>nd</sup>	<i>Gallinula chloropus</i>	Y	Breeds in the crops
90	Common Moorhen <i>Gallinula chloropus</i>	Nepali	633-4	1 <sup>st</sup> N 633-4 2 <sup>nd</sup>	<i>Gallinula chloropus</i>		4/5 Valley
91	Common Moorhen <i>Gallinula chloropus</i>	<i>Gallinula chloropus</i>	633-4	1 <sup>st</sup> N633-4 2 <sup>nd</sup>	<i>Gallinula chloropus</i>		
92	White-breasted Waterhen <i>Amaurornis phoenicurus</i>	<i>Gallinula thermophila</i>	759	1 <sup>st</sup> N759 2 <sup>nd</sup>	<i>Amaurornis phoenicurus</i>		20/3 Residency garden; 8/6 Lower hills
93	Brown Crake <i>Amaurornis akool</i>	Nepali	929	929 N 2 <sup>nd</sup>	<i>Amaurornis akool</i> (Nepal)		Siliguri tarai 31/1

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
94	(1)Baillon's Crake <i>Porzana pusilla</i>	<i>Zapornia bailloni</i>	568-9	1 <sup>st</sup> N 658-9 2 <sup>nd</sup>	<i>Porzana pusilla</i>	Y	Jhilli, nearly in hills, breeds in rice fields
	(2) Baillon's Crake <i>Porzana pusilla</i>	<i>Zapornia bailloni</i>		1 <sup>st</sup> N 658-9 2 <sup>nd</sup>	<i>Porzana pusilla</i>		10/5, 3/10 valley; 1/3 tarai
95	Ruddy-breasted Crake <i>Porzana fusca</i>	<i>Zapornia hammiceps</i>	374-5	1st N 374-5 2 <sup>nd</sup>	<i>Limnobaenus fuscus</i>	Y	10, 27/9, 14/7 testes big spring Valley; permanent in hills breeds and dwells in rice fields
96	Slaty-legged Crake <i>Rallina eurizonoides</i>	<i>Zapornia nigrelineata</i>	765	1 <sup>st</sup> N765	<i>Rallina superciliaris</i>		Tarai only
97	Water Rail <i>Rallus aquaticus</i>		(879 pencil)		<i>Rallus aquaticus</i>		18/10 Ricefields of Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
98	(1) Lesser Adjutant <i>Leptoptilos javanicus</i>  (2) Greater Adjutant <i>Leptoptilos dubius</i>	(1) <i>Osteorgphea argala</i>  (2) <i>A. immigratoria</i>	713	1 <sup>st</sup> N 713 2 <sup>nd</sup>	<i>Leptoptilos javanicus</i>	Y	(1) 10/1 tarai  (2) 20/8 Valley scarce Small species never flocks; feeds on edges of lakes and rivers, wading to thighs. Great species forms large flocks of 3-400 in Kooar. Down of large species sells at 4 to 5 ruppees per seer. and the plumes of crissum at 50 per rupee. Breeding is described for both species.
99	Greater Adjutant <i>Leptoptilos dubius</i>	Nepal	713	1 <sup>st</sup> N 713 2 <sup>nd</sup>	<i>Leptoptilos dubius</i>	Y	
100	Greater Adjutant <i>Leptoptilos dubius</i>	<i>Ost. immigratoria</i>		1 <sup>st</sup> N 713 2 <sup>nd</sup>	<i>Leptoptilos dubius</i>		15/7 Residency
101	Black-necked Stork <i>Ephippiorhynchus asiaticus</i>		801	1 <sup>st</sup> N 801	<i>Xenorhynchus asiaticus</i>		24/2 Sikkim tarai; Titilya 24/2 in Sikkim tarai

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
102	Black-necked Stork <i>Ephippiorhynchus asiaticus</i>	Nepali	801	1 <sup>st</sup> N 801	<i>Xenorhynchus asiaticus</i>		20/12; hills in winter
103	Black Stork <i>Ciconia nigra</i>	<i>Ciconia nigra</i>	620	1 <sup>st</sup> N 620 2 <sup>nd</sup>	<i>Ciconia nigra</i>		10/3; hills in winter
104	Black Stork <i>Ciconia nigra</i>	<i>Ciconia nigra</i>	620	1 <sup>st</sup> N 620 2 <sup>nd</sup>	<i>Ciconia nigra</i>		20/3 valley
105	Great Egret <i>Casmerodius albus</i>	Nepali	916		<i>Herodias alba</i>		
106	Woolly-necked Stork <i>Ciconia episcopus</i>	<i>Ciconia bicaudata</i>	521	1 <sup>st</sup> N 521 2 <sup>nd</sup>	<i>Dissura episcopus</i>		26/10, 10/4 Valley; plains, 1/5 eggs enlarged

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
107	Woolly-necked Stork <i>Ciconia episcopus</i>	Nepali	916		<i>Herodias alba</i>		
108	White-bellied Heron <i>Ardea insignis</i>	<i>Ardea insignis</i>	645	1 <sup>st</sup> N 645 2 <sup>nd</sup>	<i>Ardea insignis</i>	Y	Lower hills Hitaura shy, rare & wary
109	Grey Heron <i>Ardea cinerea</i>	<i>Ardea cinerea</i>	646	1 <sup>st</sup> N 646 2 <sup>nd</sup>	<i>Ardea grayi</i>	Y	6 Valley
110	(2) White-bellied Heron <i>Ardea insignis</i> (1) Grey Heron <i>Ardea cinerea</i>		645 646	1 <sup>st</sup> N 645 2 <sup>nd</sup> 1 <sup>st</sup> N 646 2 <sup>nd</sup>	<i>Ardea insignis</i>		(2)10/11, 5/4 Lower hills; (1)6/9 Valley Migratory
111	Purple Heron <i>Ardea purpurea</i>	<i>Ardea purpurea</i>	592	1 <sup>st</sup> N 592 2 <sup>nd</sup>	<i>Pheyx manillensis</i>	Y	18/2 tarai



Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
112	(1) Demoiselle Crane <i>Grus virgo</i>			1 <sup>st</sup> N 588	<i>Anthropoides virgo</i>		(1)1/5; (Valley March & April, Oct & Nov, passing-in pencil) 26/4 Valley; 20/4 cranes passing over on way to north-midnight
	(2)Purple Heron <i>Ardea purpurea</i>			1 <sup>st</sup> N 592 2 <sup>nd</sup>	<i>Pheyx manillensis</i>		(2)15/10 Valley
113	Great Egret <i>Casmerodius albus</i>	<i>Egretta modesta</i>	794	1 <sup>st</sup> N 794 2 <sup>nd</sup>	<i>Herodias alba</i>		10/5 Valley; plains only, rare in hills (twice in Nepal proper-pencil)
114	Little Egret <i>Egretta garzetta</i>	<i>Egretta nigrirostris</i>	639, 640, 641	1 <sup>st</sup> N639, 641 2 <sup>nd</sup>	<i>Garzetta garzetta</i>		9/7 Valley; 4/9
115	Little Egret <i>Egretta garzetta</i>	<i>Egretta nigrirostris</i>	641	1 <sup>st</sup> N639, 641 2 <sup>nd</sup>	<i>Garzetta garzetta</i>	Y	14/7 Valley; 5

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
116	Little Egret <i>Egretta garzetta</i>	<i>Egretta nigrirostris</i>	640		<i>Garzetta garzetta</i>	Y	3/7, 28/5 Valley; 20/8, 20/9, 1/6, 4/9; begin to breed beginning of June, young are fledged in Sept
117	Nest & eggs of Little Egret <i>Egretta garzetta</i>	Nepali	639-40-41	1 <sup>st</sup> N639, 641 2 <sup>nd</sup>	<i>Garzetta garzetta</i>		
118	Nest & eggs of Little Egret <i>Egretta garzetta</i>	Nepali					
119	Little Egret <i>Egretta garzetta</i>	<i>Egretta nigrirostris</i>	639-40-41	1 <sup>st</sup> N639, 641 2 <sup>nd</sup>	<i>Garzetta garzetta</i>		
120	Cattle Egret <i>Bubulcus ibis</i>	?	647	1 <sup>st</sup> N 638 647 2 <sup>nd</sup>	<i>Bubulcus coromandus</i>		1/6, 24/9, 20/8, 31/12

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
121	Cattle Egret <i>Bubulcus ibis</i>	<i>Ardea russata v. flavicans</i>	638 647	1 <sup>st</sup> N638 647 2 <sup>nd</sup>	<i>Bubulcus coromandus</i>		
122	Intermediate Egret <i>Mesophoyx intermedia</i> Looks like Intermediate but numbered as Cattle <i>Bubulcus ibis</i>		638				17/9, 14/9, 24/6 Valley; 18/10, 18/11
123	Cattle Egret <i>Bubulcus ibis</i>		647	1 <sup>st</sup> N638 647	<i>Bubulcus coromandus</i>	Y	8/6, 15/7 Valley; 10/7; breeds in same trees as Night herons does not migrate, breeds below & in Nepal proper.
124	Indian Pond Heron <i>Ardeola grayii</i>	<i>Egretta maronata</i>	642-3-4	642 1 <sup>st</sup> N 644 2 <sup>nd</sup>			
125	Indian Pond Heron <i>Ardeola grayii</i>			1 <sup>st</sup> N 642, 644 2 <sup>nd</sup>		Y	

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
126	Indian Pond Heron <i>Ardeola grayii</i>	<i>Egretta allanonota</i>	642	1 <sup>st</sup> N642, 644 2 <sup>nd</sup>		Y	20/6 breeds in Valley nest & eggs; 10/6, 1/6; Valley 9/7,
127	Indian Pond Heron <i>Ardeola grayii</i>		643-4	1 <sup>st</sup> N642, 644 2 <sup>nd</sup>			10/7 eggs big Valley; breeds below & in hills
128	Nest & eggs of Indian Pond Heron <i>Ardeola grayii</i>	Nepali	642				
129	Striated Heron <i>Butorides striata</i>	Unclear	622	1 <sup>st</sup> N 622 2 <sup>nd</sup>	<i>Butorides javanicus</i>	Y	1/2 banks of Sun Kosi at Dumja (spelling?); lower hills 1/5, 10/4, 12/5
130	Cinnamon Bittern <i>Ixobrychus cinnamomeus</i>	<i>Ardea cinnamonea</i>	623	1 <sup>st</sup> N623-4	<i>Ardetta cinnamomea</i>	Y	6 Valley; 3/8 Hitaura

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
131	Cinnamon Bittern <i>Ixobrychus cinnamomeus</i>	Nepali	624	1 <sup>st</sup> N 623-4	<i>Ardetta cinnamomea</i>		
132	Young of Cinnamon Bittern <i>Ixobrychus cinnamomeus</i>	<i>Ardea cinnamomea</i>	624	1 <sup>st</sup> N 623-4	<i>Ardetta cinnamomea</i>		9 Valley
133	Great Bittern <i>Botaurus stellaris</i>	<i>Botaurus tarayensis</i>	866	1 <sup>st</sup> N 866 2 <sup>nd</sup>	<i>Botaurus stellaris</i>		10/4 terai only
134 135	Black-crowned Night Heron <i>Nycticorax nycticorax</i>		636	1 <sup>st</sup> N635, 637 2 <sup>nd</sup>	<i>Nycticorax nycticorax</i>		16/6, 8/6 Valley; 28/5, 3/10, 1/6, 2/6 Testes large for 16/6, 8/6 & 28/5
136	Black-crowned Night Heron <i>Nycticorax nycticorax</i>		637	1 <sup>st</sup> N635, 637	<i>Nycticorax nycticorax</i>	Y	20/6 nest & eggs Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
137	Black-crowned Night Heron <i>Nycticorax nycticorax</i> immature		635	1 <sup>st</sup> N635, 637 2 <sup>nd</sup>	<i>Nycticorax nycticorax</i>		20/9, 1/6, 2/6, 1/5, 30/12, 8
138	Black-crowned Night Herons <i>Nycticorax nycticorax</i> Pencil drawings	Nepali	635-6-7	1 <sup>st</sup> N 635, 637 2 <sup>nd</sup>	<i>Nycticorax nycticorax</i>		
139	Black-crowned Night Heron <i>Nycticorax nycticorax</i> nest + eggs		635-6-7	1 <sup>st</sup> N 635, 637	<i>Nycticorax nycticorax</i>		
140	Black-crowned Night Heron <i>Nycticorax nycticorax</i>				<i>Nycticorax nycticorax</i>		5, 1/6
141	Painted Stork <i>Mycteria leucocephala</i>	<i>Tantalus rodopteron</i>	800	1stN800 2 <sup>nd</sup> (no number given)	<i>Pseudotantalus leucocephalus</i>		30/9 Lower hills, 15/6 tarai, seen below all year but most from Oct to May.

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
142	Eurasian Spoonbill <i>Platalea leucorodia</i>	<i>Platalea pyrommata</i>	144	1 <sup>st</sup> tarai 144 2 <sup>nd</sup>	<i>Platalea leucorodia</i>		11/6 tarai kept alive; totally confined to tarai, never appearing in hills even on passage.
143	Asian Openbill <i>Anastomus oscitans</i>	Nepali	886	2 <sup>nd</sup> N	<i>Anastomus oscitanus</i>		
144	Asian Openbill <i>Anastomus oscitans</i>	Nepali	886	2 <sup>nd</sup> N	<i>Anastomus oscitanus</i>		
145	Black-headed Ibis <i>Threskiornis melanocephalus</i> on nest & young	Nepali	865	1 <sup>st</sup> N 865 2 <sup>nd</sup>	<i>Ibis melanocephala</i>	Y	
146	Black-headed Ibis <i>Threskiornis melanocephalus</i> (looks like young)	(in pencil) Nepali <i>Threskiornis melanocephalus</i>	917	2 <sup>nd</sup> 917	<i>Inocotis papillosus</i>		

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
147	Black-headed Ibis <i>Threskiornis melanocephalus</i>	Nepali	865	1 <sup>st</sup> N 865 2 <sup>nd</sup>	<i>Ibis melanocephala</i>		6/4 tarai
148	Red-naped Ibis <i>Pseudibis papillosa</i>	<i>Ibis papillosa</i>	619	1 <sup>st</sup> N 619 2 <sup>nd</sup>	<i>Inocotis papillosus</i>		15/4 tarai; seldom or never seen in mountains, even as a passenger as it is not a migrator
149	Glossy Ibis <i>Plegadis falcinellus</i>	Nepali	571	1 <sup>st</sup> N 571 2 <sup>nd</sup>	<i>Plegadis falcinellus</i>		12/9 Valley passenger; plains found in colder months, stays few days in hills on journey ro and fro.
150	Glossy Ibis <i>Plegadis falcinellus</i>	<i>Ibis obscurus</i>	571	1 <sup>st</sup> N571	<i>Plegadis falcinellus</i>		Dec
151	Whooper Swan <i>Cygnus cygnus</i>	<i>Cygnus ferrus</i>	884	1 <sup>st</sup> head foot 2 <sup>nd</sup> 884 Valley of Nepal			Jan/29 shot in Valley of Nepal. Specimen lost.



Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
152	Greylag Goose <i>Anser anser</i>	<i>Anser rubrirostris</i>	579	1 <sup>st</sup> N 579 2 <sup>nd</sup>			26/3 Valley; 6 months of colder season below; common Kartek to Chait
153	Bar headed Goose <i>Anser indicus</i>	<i>Anser indicus</i>	593	1 <sup>st</sup> N 593 2 <sup>nd</sup>	<i>Anser indicus</i>		26/3 Valley
154	Cotton Pygmy-goose <i>Nettapus coromandelianus</i>	<i>Microcygma girca</i>	796	1 <sup>st</sup> N 796 2 <sup>nd</sup>	<i>Nettopus coromandelianus</i>		10/3, 30/4 tarai
155	Lesser Whistling-duck <i>Dendrocygna javanica</i>	Nepali	581	1 <sup>st</sup> N 581 2 <sup>nd</sup>	<i>Dendrocygna javanica</i>		12/5 Residency specimen with eggs big; 15/2.
156	Ruddy Shelduck <i>Tadorna ferruginea</i>		803	1 <sup>st</sup> N803 2 <sup>nd</sup>	<i>Casara rutila</i>		10/2 tarai

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
157	(1) Common Shelduck <i>Tadorna tadorna</i> (2) Lesser Whistling-duck <i>Dendrocygna javanica</i>	Anas tadorna	580 581	1 <sup>st</sup> N580 2 <sup>nd</sup>  1 <sup>st</sup> N581 2 <sup>nd</sup>	<i>Tadorna cornuta</i>  <i>Dendrocygna javanica</i>	Y	(1) Unknown below (2) Breeds below 6/6 one with eggs enlarged
158	Common Shelduck <i>Tadorna tadorna</i>		580	1 <sup>st</sup> N580 2 <sup>nd</sup>	<i>Tadorna cornuta</i>		Unknown below; Valley 1/3
159	Northern Shoveler <i>Anas clypeata</i>		652	1 <sup>st</sup> N651 2 <sup>nd</sup> 652	<i>Spatula clypeata</i>		25/2 tarai
160	Northern Shoveler <i>Anas clypeata</i>	Rhynchaspis clypeata	652	1 <sup>st</sup> N651 652 2 <sup>nd</sup>	<i>Spatula clypeata</i>		1 tarai; 24/10 containing small eggs; 8/11.

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
161	Northern Shoveler <i>Anas clypeata</i>	<i>Anas clypeata</i>	651-2	1 <sup>st</sup> N 651,652 2 <sup>nd</sup>	<i>Spatula clypeata</i>		27/4
162	Mallard <i>Anas platyrhynchos</i>	Nepali	653	1 <sup>st</sup> 653 2 <sup>nd</sup>	<i>Anas boscas</i>		15/1 Valley; 4; 6 months of cold season, large flocks in deep Jhils
163	Mallard <i>Anas platyrhynchos</i>	<i>Anas boschus</i>	653	1 <sup>st</sup> N653 2 <sup>nd</sup>	<i>Anas boscas</i>		8/12 valley of Nagakoti swimming on Trisool rivers.
164	Spot-billed Duck <i>Anas poecilorhyncha</i>	Nepali	792	1 <sup>st</sup> N792 2 <sup>nd</sup>	<i>Anas poecilorhyncha</i>		3, 1/2 tarai
165	Pink-headed Duck <i>Rhodonessa caryophyllacea</i>	<i>Fuligula caryophyllacea</i>	664	1 <sup>st</sup> N 664 2 <sup>nd</sup>	<i>Rhodonessa caryophyllacea</i>		Doomrar; Avoids flowing waters, shy, resides in remote large Jhils. Feeds at night; Valley 15/9

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
166	Gadwall <i>Anas strepera</i>	<i>Anas mail</i>	500	1 <sup>st</sup> N500 2 <sup>nd</sup>	<i>Chaulelasmus streperus</i>		15/10, 8/3 Valley; 1/11
167	Northern Pintail <i>Anas acuta</i>		459	1 <sup>st</sup> N459, 454 2 <sup>nd</sup>	<i>Dafila acuta</i>		25/3 Valley, plains of tarai, 1/3.
168	Northern Pintail <i>Anas acuta</i>	<i>Dafila caudacuta</i>		1 <sup>st</sup> N459, 454 2 <sup>nd</sup>	<i>Dafila acuta</i>		16/10 Valley; 29/3, 1/11, 8/11.
169	Eurasian Wigeon <i>Anas penelope</i>	<i>Anas vitticeps</i>	677	1 <sup>st</sup> N458, 677 2 <sup>nd</sup>	<i>Maneca penelope</i>		15/10, 12/10 Valley;
170	Eurasian Wigeon <i>Anas penelope</i>	Nepali	458	1 <sup>st</sup> 458, 677 2 <sup>nd</sup>	<i>Maneca penelope</i>		Valley; 5/5

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
171	Common Teal <i>Anas crecca</i>	<i>Anas crecca</i>	617	1 <sup>st</sup> N617, 618 2 <sup>nd</sup>	<i>Nettion crecca</i>		25/10 Valley; 15/2 tarai
172	Common Teal <i>Anas crecca</i>	<i>Anas crecca</i>	618	1 <sup>st</sup> N617, 618 2 <sup>nd</sup>	<i>Nettion crecca</i>		4/10, 16/10 Valley; 29/10; 8/11; 30/10
173	Garganey <i>Anas querquedula</i> all birds (5 drawings)	Nepali	767	1 <sup>st</sup> N767	<i>Querquedula ciria</i>		6/9, 7/9, 16/9, 15/9, 20/8, 27/4 Valley; 10/9, 12/9, 13/9, 17/9,
174	Garganey <i>Anas querquedula</i>	Nepali	767	1 <sup>st</sup> 767 2 <sup>nd</sup>	<i>Querquedula ciria</i>		Segouly
175	Red-crested Pochard <i>Netta rufina</i>	Nepali	686	1 <sup>st</sup> N 686, 822, 819 2 <sup>nd</sup>	<i>Nettia rufina</i>		12/11 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
176	Red-crested Pochard <i>Netta rufina</i>	Fuligula rufina	822		<i>Nettia rufina</i>		20/2 plains
177	? Common Pochard Looks like Common Pochard but in 1 <sup>st</sup> edition of catalogue no.373 is listed as Tufted Duck	Nepali	373		<i>Nyroca ferina</i>		Plains in colder weather; 24/10 Valley
178	(2) Ferruginous Duck <i>Aythya nyroca</i> (1) Greater Scaup <i>Aythya marila</i> ? Could be an immature		(2)649 (1)648	(2)1 <sup>st</sup> N 649, 650, 671 2 <sup>nd</sup> (1) 1 <sup>st</sup> 648 2 <sup>nd</sup>	<i>Nyroca africana</i>		(1) 21/10 Valley
179	Tufted Duck <i>Aythya fuligula</i>	Nepali	712	1 <sup>st</sup> N712 373 2 <sup>nd</sup>	<i>Fuligula fuligula</i>		1/6
180	♀ Red-crested Pochard <i>Netta rufina</i>	Tadorna?	819	686, 822, 819 1 <sup>st</sup> N 2 <sup>nd</sup>			20/2 tarai

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
181	Common Merganser <i>Mergus merganser</i>	<i>Mergus merganser</i>	626	1 <sup>st</sup> 626-7 2 <sup>nd</sup>	<i>Merganser comatus</i>		Valley; 2 Banks of Sun Kosi.
182	Great Crested Grebe <i>Podiceps cristatus</i>	<i>Podiceps cristatus</i>	834	1 <sup>st</sup> N834 2 <sup>nd</sup>			14/2 small lake in Great Valley.
183	Little Grebe <i>Tachybaptus ruficollis</i>	<i>Podiceps minor</i>	558	1 <sup>st</sup> N558 2 <sup>nd</sup>	<i>Podiceps capensis</i>	Yes	10/4 Valley; 1/3 tarai.
184	Black headed Gull <i>Larus ridibundus</i> or Brown-headed Gull <i>Larus brunnicephalus</i>	<i>Xenia pallidus</i>	857	1 <sup>st</sup> N566, 857 2 <sup>nd</sup> calls it Brown			7/11 Valley.
185	Black-headed Gull <i>Larus ridibundus</i>	Nepali	566	1 <sup>st</sup> N566, 857 2 <sup>nd</sup>	<i>Larus ridibundus</i>		3, 7/11 Valley

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
186	Black headed Gull <i>Larus ridibundus</i>	Nepali					30/3 Valley
187	River Tern <i>Sterna aurantia</i> or Tihari	Nepali	565	1 <sup>st</sup> N 565 2 <sup>nd</sup>	<i>Sterna aurantia</i>	Yes	1 tarai
188	Numbered as River Tern <i>Sterna aurantia</i>	Tihari juniar	565	1 <sup>st</sup> N565 2 <sup>nd</sup>			10 Vishnumati
189	Whiskered Tern <i>Chlidonias hybrida</i> or Black-bellied Tern <i>Sterna acuticauda</i>	Nepali	907	907 2 <sup>nd</sup>			
190	Indian Skimmer <i>Rynchops albicollis</i>	Nepali	896	2 <sup>nd</sup>	<i>Rynchops albicollis Nepal</i>		



Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
191	Spot-billed Pelican <i>Pelecanus philippensis</i>	<i>Pelecanus gangeticus</i>	582	1 <sup>st</sup> 92, 582 2 <sup>nd</sup>	<i>Pelecanus philippensis</i>		4 Valley; Segouly; 6 months below.
192	Spot-billed Pelican <i>Pelecanus philippensis</i>	(2) <i>Pelecanus calirhynchus</i> (1) <i>Pelecanus gangeticus</i>	92 582	1 <sup>st</sup> 92, 582 2 <sup>nd</sup>	<i>Pelecanus philippensis</i>		
193	Great Cormorant <i>Phalacrocorax carbo</i>	Ph. leucocephalus	596 555 559	1 <sup>st</sup> N 596, 555, 559 2 <sup>nd</sup> 559, 555, 596, 953	<i>Phalacrocorax carbo</i>	Yes	10/3 Valley; 18/3 Lower hills
194	Indian Cormorant <i>Phalacrocorax fuscicollis</i>	Nepali	953				
195	Great Cormorant <i>Phalacrocorax carbo</i>				<i>Phalacrocorax carbo</i>		

Page No.	Current Name:	Hodgson Name:	Bird No.	Listed in Grays catalogue "Nepal"	Listed in BM catalogue	Breeding described by Hodgson	Location, dates, comments from Hodgson
196	Little Cormorant <i>Phalacrocorax niger</i>	Nepali	552	552 1 <sup>st</sup> N	<i>Phalacrocorax javanicus</i>	Yes	20/6 Lower hills. Always below; 12/2 Hitaua
197	Darter <i>Anhinga melanogaster</i>		655	655 1 <sup>st</sup> N 2 <sup>nd</sup>		Yes	20/3, 5/3, 12/2 tarai; 20/3 Segouly; 5/3